



FLAP DISCS

- p. 244  Professional
- p. 250  Performance
- p. 254  Grindflex
- p. 258  Smartflex
- p. 261  Specialty
- p. 265  Fast Lock



CLEANING

- p. 281  Surface Conditioning
- p. 283  Abrasive Nylon
- p. 284  Non woven



FINISHING AND POLISHING

- p. 285  Felt and abrasive pastes
- p. 287  Sisal, cotton and wool
- p. 290  Sponges and abrasive rubbers



CUTTING WHEELS

- p. 296  Cutting discs
- p. 300  Grinding discs
- p. 302  Grinding wheels with hole
- p. 303  Mounted grinding wheels
- p. 305  Diamond blades



ABRASIVE WHEELS

- p. 226  Wheels with shaft
- p. 267  Wheels with hole
- p. 268  Wheels for satin finishers







WIRE BRUSHES

- p. 291  Brushes with bore
- p. 293  Brushes with shaft



ABRASIVE DISCS AND BELTS

- p. 271  Fiber discs
- p. 272  Adhesive and velcro discs
- p. 276  Rolls and sheets
- p. 278  Belts

RIFLEX, SPECIFIC EXPERIENCE






MADE IN ITALY

Since 1982, Riflex has stood out on the international stage thanks to its specific MADE IN ITALY experience in the production of flap discs made of corundum, zirconium and ceramic zirconium with supports made from both nylon and fibreglass, and in the manufacture of automatic systems for their production, testing and packaging.

Riflex oversees the entire production chain thanks to relationships spanning decades with key suppliers of raw materials (abrasive backing plates, supports and glue). More than thirty years of experience has allowed the company to develop its own recipes and quality protocols which are among the highest levels worldwide.



ABRASIVE CLOTH

		Zirconio Cotone peso X	For common, alloyed and stainless steels. Cotton backing, excellent performance and durability. This cloth is declined in various performance steps based on the product families.
		Corindone Cotone peso X	For metals and wood, for standard processing. Cotton support. This cloth is declined in various performance steps based on the product families.
SPECIALTY		Zircoceramico Polycotton	Specially designed for processing stainless steel. Third cooling layer, polycotton backing, high cutting speed.
SPECIALTY		Ceramico Polycotton	Specially designed for processing stainless steel, for heavy stock removal. Third cooling layer, extremely resistant polycotton backing, maximum cutting speed.
SPECIALTY		Abranet® Rete in poliammide	Specially designed for clogging materials such as non-ferrous metals (aluminum, copper, brass, zinc, magnesium), wood and composite materials. The particular polyamide mesh structure prevents the formation of accumulations and clogging, ensuring great advantages: impeccable finishes and constant effectiveness, maximizing performance and reducing processing costs.

FLAP DISCS

FERVI BY RIFLEX



PROFESSIONAL

PROFESSIONAL TOP LINE

Professional long-life discs with high removal speeds for the most demanding users, powered by Norton™ abrasive cloth.

PERFORMANCE

HIGH PERFORMANCE

Wide range of professional flap discs based on aluminum oxide or zirconia.



GRINDFLEX

MULTI PURPOSE

The “best seller”, suitable for massive removals and finishing on most types of ferrous and non-ferrous metal surfaces.

SMARTFLEX


VALUE FOR MONEY

The best price with professional performances. For removal and finishing operations.

SPECIALTY

FOR SPECIAL WORKING


Range of discs for professional working on stainless steel, non-ferrous metals (aluminum, copper, etc.).




Our tests are carried out with Riflex machines using a 1200W electric tool with a constant pressure of 4 kg on a S235JR (Fe360) steel test specimen with 2.5 min steps.

DISC TYPE


CLASSIC




DUAL FLAP




REAL FLAT




BIGGER



TIGER



RAPTOR






PROFESSIONAL TOP LINE

Professional long-life discs with high removal speeds for the most demanding users, powered by Norton™ abrasive cloth.

For heavy removal, major deburring - Designed for professional users and medium and large companies. Ideal for machining large metal sheets, removing large weld seams and requiring long disk life.

DF8100-Z

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF8100.111	€ 2,31	115 x 22 mm	36	13300	10
DF8100.112	€ 2,31	115 x 22 mm	40	13300	10
DF8100.114	€ 2,31	115 x 22 mm	60	13300	10
DF8100.115	€ 2,31	115 x 22 mm	80	13300	10
DF8100.117	€ 2,31	115 x 22 mm	120	13300	10
DF8100.121	€ 2,89	125 x 22 mm	36	12250	10
DF8100.122	€ 2,89	125 x 22 mm	40	12250	10
DF8100.124	€ 2,89	125 x 22 mm	60	12250	10
DF8100.125	€ 2,89	125 x 22 mm	80	12250	10
DF8100.181	€ 4,80	180 x 22 mm	36	8500	10
DF8100.182	€ 4,80	180 x 22 mm	40	8500	10
DF8100.184	€ 4,80	180 x 22 mm	60	8500	10
DF8100.185	€ 4,80	180 x 22 mm	80	8500	10



DF8150-Z

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF8150.111	€ 2,31	115 x 22 mm	36	13300	10
DF8150.112	€ 2,31	115 x 22 mm	40	13300	10
DF8150.114	€ 2,31	115 x 22 mm	60	13300	10
DF8150.115	€ 2,31	115 x 22 mm	80	13300	10
DF8150.117	€ 2,31	115 x 22 mm	120	13300	10
DF8150.121	€ 2,89	125 x 22 mm	36	12250	10
DF8150.122	€ 2,89	125 x 22 mm	40	12250	10
DF8150.124	€ 2,89	125 x 22 mm	60	12250	10
DF8150.125	€ 2,89	125 x 22 mm	80	12250	10
DF8150.181	€ 4,80	180 x 22 mm	36	8500	10
DF8150.182	€ 4,80	180 x 22 mm	40	8500	10
DF8150.184	€ 4,80	180 x 22 mm	60	8500	10
DF8150.185	€ 4,80	180 x 22 mm	80	8500	10






DN8100-Z

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DN8100.111	€ 2,31	115 x 22 mm	36	13300	10
DN8100.112	€ 2,31	115 x 22 mm	40	13300	10
DN8100.114	€ 2,31	115 x 22 mm	60	13300	10
DN8100.115	€ 2,31	115 x 22 mm	80	13300	10
DN8100.117	€ 2,31	115 x 22 mm	120	13300	10
DN8100.122	€ 2,89	125 x 22 mm	40	12250	10
DN8100.124	€ 2,89	125 x 22 mm	60	12250	10
DN8100.125	€ 2,89	125 x 22 mm	80	12250	10
DN8100.182	€ 4,80	180 x 22 mm	40	8500	10
DN8100.184	€ 4,80	180 x 22 mm	60	8500	10
DN8100.185	€ 4,80	180 x 22 mm	80	8500	10



DN8300-Z

PROFESSIONAL FLAP DISC DUAL FLAP




Art.	€	Dimensions	Grit	rpm max	Pack
DN8300.111	€ 2,31	115 x 22 mm	36	13300	10
DN8300.112	€ 2,31	115 x 22 mm	40	13300	10
DN8300.114	€ 2,31	115 x 22 mm	60	13300	10
DN8300.115	€ 2,31	115 x 22 mm	80	13300	10
DN8300.117	€ 2,31	115 x 22 mm	120	13300	10
DN8300.122	€ 2,89	125 x 22 mm	40	12250	10
DN8300.124	€ 2,89	125 x 22 mm	60	12250	10
DN8300.125	€ 2,89	125 x 22 mm	80	12250	10
DN8300.182	€ 4,80	180 x 22 mm	40	8500	10
DN8300.184	€ 4,80	180 x 22 mm	60	8500	10
DN8300.185	€ 4,80	180 x 22 mm	80	8500	10



DN8550-Z

PROFESSIONAL FLAP DISC REAL FLAT

Thanks to a special convex shape backing, this flap discs type are perfectly flat discs with large flaps and constant density and hardness both at the centre and on the peripheral diameter of the disc.



Art.	€	Dimensions	Grit	rpm max	Pack
DN8550.112	€ 3,36	115 x 22 mm	40	13300	10
DN8550.114	€ 3,36	115 x 22 mm	60	13300	10
DN8550.115	€ 3,36	115 x 22 mm	80	13300	10
DN8550.117	€ 3,36	115 x 22 mm	120	13300	10



DF8600-Z

PROFESSIONAL FLAP DISC BIGGER

Grind even longer, even faster, and even better finishing with bigger disc. the new structure provides better benefits compared to conventional flap or grinding discs: 50% more abrasion capacity, saving a great deal of working time, 2x longer service life, excellent value for money, cooler grinding, costs and working time reduction

Zr Glass fiber T27 Single EN 13743 Roughing Steel Stainless steel Cast Iron Surface Prep. 0 - 15° Angle grinder Made in REFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DF8600.112	€ 2,79	115 x 22 mm	40	13300	10
DF8600.114	€ 2,79	115 x 22 mm	60	13300	10
DF8600.115	€ 2,79	115 x 22 mm	80	13300	10
DF8600.117	€ 2,79	115 x 22 mm	120	13300	10
DF8600.122	€ 3,27	125 x 22 mm	40	12250	10
DF8600.124	€ 3,27	125 x 22 mm	60	12250	10
DF8600.125	€ 3,27	125 x 22 mm	80	12250	10
DF8600.127	€ 3,27	125 x 22 mm	120	12250	10
DF8600.182	€ 5,70	180 x 22 mm	40	8500	10
DF8600.184	€ 5,70	180 x 22 mm	60	8500	10
DF8600.185	€ 5,70	180 x 22 mm	80	8500	10
DF8600.187	€ 5,70	180 x 22 mm	120	8500	10




DF8700-Z

PROFESSIONAL FLAP DISC TIGER

Tiger is a flap disc with an additional 70% abrasive cloth compared to standard professional discs. its shape allows the full use of the abrasive as well as making it particularly compact. this feature, combined to reinforced support, allows to exert a higher specific pressure and consequently a more rapid removal.

Zr Glass fiber T27 Single EN 13743 Roughing Steel Stainless steel Cast Iron Surface Prep. 0 - 15° Angle grinder Made in REFLEX


Art.	€	Dimensions	Grit	rpm max	Pack
DF8700.112	€ 2,89	115 x 22 mm	40	13300	10
DF8700.114	€ 2,89	115 x 22 mm	60	13300	10
DF8700.115	€ 2,89	115 x 22 mm	80	13300	10
DF8700.117	€ 2,89	115 x 22 mm	120	13300	10





DF8100-A

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF8100.212	€ 2,21	115 x 22 mm	40	13300	10
DF8100.214	€ 2,21	115 x 22 mm	60	13300	10
DF8100.215	€ 2,21	115 x 22 mm	80	13300	10



DF8150-A

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF8150.212	€ 2,21	115 x 22 mm	40	13300	10
DF8150.214	€ 2,21	115 x 22 mm	60	13300	10
DF8150.215	€ 2,21	115 x 22 mm	80	13300	10




DN8100-A

PROFESSIONAL FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DN8100.212	€ 2,21	115 x 22 mm	40	13300	10
DN8100.214	€ 2,21	115 x 22 mm	60	13300	10
DN8100.215	€ 2,21	115 x 22 mm	80	13300	10



DN8300-A

PROFESSIONAL FLAP DISC DUAL FLAP



Art.	€	Dimensions	Grit	rpm max	Pack
DN8300.212	€ 2,21	115 x 22 mm	40	13300	10
DN8300.214	€ 2,21	115 x 22 mm	60	13300	10
DN8300.215	€ 2,21	115 x 22 mm	80	13300	10



PERFORMANCE

HIGH PERFORMANCE

Wide range of professional flap discs based on aluminum oxide or zirconia.

For mass productions and where high removal capacity is required - Designed for medium and large companies. Ideal for demanding users and heavy-duty applications where long disk life is required.

DF6100-Z

PERFORMANCE FLAP DISC CLASSIC

Zr Made in ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DF6100.112	€ 2,12	115 x 22 mm	40	13300	10
DF6100.114	€ 2,12	115 x 22 mm	60	13300	10
DF6100.115	€ 2,12	115 x 22 mm	80	13300	10
DF6100.117	€ 2,12	115 x 22 mm	120	13300	10
DF6100.122	€ 2,60	125 x 22 mm	40	12250	10
DF6100.124	€ 2,60	125 x 22 mm	60	12250	10
DF6100.125	€ 2,60	125 x 22 mm	80	12250	10
DF6100.182	€ 4,32	180 x 22 mm	40	8500	10
DF6100.184	€ 4,32	180 x 22 mm	60	8500	10
DF6100.185	€ 4,32	180 x 22 mm	80	8500	10



DF6150-Z

PERFORMANCE FLAP DISC CLASSIC

Zr Made in ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DF6150.112	€ 2,12	115 x 22 mm	40	13300	10
DF6150.114	€ 2,12	115 x 22 mm	60	13300	10
DF6150.115	€ 2,12	115 x 22 mm	80	13300	10
DF6150.117	€ 2,12	115 x 22 mm	120	13300	10
DF6150.122	€ 2,60	125 x 22 mm	40	12250	10
DF6150.124	€ 2,60	125 x 22 mm	60	12250	10
DF6150.125	€ 2,60	125 x 22 mm	80	12250	10
DF6150.182	€ 4,32	180 x 22 mm	40	8500	10
DF6150.184	€ 4,32	180 x 22 mm	60	8500	10
DF6150.185	€ 4,32	180 x 22 mm	80	8500	10





DN6100-Z

PERFORMANCE FLAP DISC CLASSIC

Zirconium
 Nylon
 T27
 Single
 EN 13743
 Roughing
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 0 - 15°
 Angle grinder
 Made in RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DN6100.112	€ 2,12	115 x 22 mm	40	13300	10
DN6100.114	€ 2,12	115 x 22 mm	60	13300	10
DN6100.115	€ 2,12	115 x 22 mm	80	13300	10
DN6100.117	€ 2,12	115 x 22 mm	120	13300	10
DN6100.122	€ 2,60	125 x 22 mm	40	12250	10
DN6100.124	€ 2,60	125 x 22 mm	60	12250	10
DN6100.125	€ 2,60	125 x 22 mm	80	12250	10
DN6100.182	€ 4,32	180 x 22 mm	40	8500	10
DN6100.184	€ 4,32	180 x 22 mm	60	8500	10
DN6100.185	€ 4,32	180 x 22 mm	80	8500	10



DN6300-Z

PERFORMANCE FLAP DISC DUAL FLAP

Zirconium
 Nylon
 T27
 Double
 EN 13743
 Roughing
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 0 - 15°
 Angle grinder
 Made in RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DN6300.112	€ 2,12	115 x 22 mm	40	13300	10
DN6300.114	€ 2,12	115 x 22 mm	60	13300	10
DN6300.115	€ 2,12	115 x 22 mm	80	13300	10
DN6300.117	€ 2,12	115 x 22 mm	120	13300	10
DN6300.122	€ 2,60	125 x 22 mm	40	12250	10
DN6300.124	€ 2,60	125 x 22 mm	60	12250	10
DN6300.125	€ 2,60	125 x 22 mm	80	12250	10
DN6300.182	€ 4,32	180 x 22 mm	40	8500	10
DN6300.184	€ 4,32	180 x 22 mm	60	8500	10
DN6300.185	€ 4,32	180 x 22 mm	80	8500	10



DN6550-Z

PERFORMANCE FLAP DISC REAL FLAT

Thanks to a special convex shape backing, this flap discs type are perfectly flat discs with large flaps and constant density and hardness both at the centre and on the peripheral diameter of the disc.

Zirconium
 Nylon
 T28
 Double
 EN 13743
 Roughing
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 0 - 15°
 Angle grinder
 Made in RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DN6550.112	€ 2,89	115 x 22 mm	40	13300	10
DN6550.114	€ 2,89	115 x 22 mm	60	13300	10
DN6550.115	€ 2,89	115 x 22 mm	80	13300	10
DN6550.117	€ 2,89	115 x 22 mm	120	13300	10



DF6600-Z

PERFORMANCE FLAP DISC BIGGER

Grind even longer, even faster, and even better finishing with bigger disc. the new structure provides better benefits compared to conventional flap or grinding discs: 50% more abrasion capacity, saving a great deal of working time, 2x longer service life, excellent value for money, cooler grinding, costs and working time reduction

Zr Glass fiber T27 EN 13743 Roughing Steel Stainless steel Cast Iron Surface Prep. 0 - 15° Angle grinder **Made in REFLEX**

Art.	€	Dimensions	Grit	rpm max	Pack
DF6600.112	€ 2,60	115 x 22 mm	40	13300	10
DF6600.114	€ 2,60	115 x 22 mm	60	13300	10
DF6600.115	€ 2,60	115 x 22 mm	80	13300	10
DF6600.117	€ 2,60	115 x 22 mm	120	13300	10
DF6600.122	€ 2,98	125 x 22 mm	40	12250	10
DF6600.124	€ 2,98	125 x 22 mm	60	12250	10
DF6600.125	€ 2,98	125 x 22 mm	80	12250	10
DF6600.127	€ 2,98	125 x 22 mm	120	12250	10
DF6600.182	€ 5,30	180 x 22 mm	40	8500	10
DF6600.184	€ 5,30	180 x 22 mm	60	8500	10



DF6700-Z

PERFORMANCE FLAP DISC TIGER

Tiger is a flap disc with an additional 70% abrasive cloth compared to standard professional discs. its shape allows the full use of the abrasive as well as making it particularly compact. this feature, combined to reinforced support, allows to exert a higher specific pressure and consequently a more rapid removal.

Zr Glass fiber T27 EN 13743 Roughing Steel Stainless steel Cast Iron Surface Prep. 0 - 15° Angle grinder **Made in REFLEX**


Art.	€	Dimensions	Grit	rpm max	Pack
DF6700.112	€ 2,50	115 x 22 mm	40	13300	10
DF6700.114	€ 2,50	115 x 22 mm	60	13300	10
DF6700.115	€ 2,50	115 x 22 mm	80	13300	10
DF6700.117	€ 2,50	115 x 22 mm	120	13300	10





DF6100-A

PERFORMANCE FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF6100.212	€ 2,02	115 x 22 mm	40	13300	10
DF6100.214	€ 2,02	115 x 22 mm	60	13300	10
DF6100.215	€ 2,02	115 x 22 mm	80	13300	10



DF6150-A

PERFORMANCE FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF6150.212	€ 2,02	115 x 22 mm	40	13300	10
DF6150.214	€ 2,02	115 x 22 mm	60	13300	10
DF6150.215	€ 2,02	115 x 22 mm	80	13300	10



DN6100-A

PERFORMANCE FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DN6100.212	€ 2,02	115 x 22 mm	40	13300	10
DN6100.214	€ 2,02	115 x 22 mm	60	13300	10
DN6100.215	€ 2,02	115 x 22 mm	80	13300	10



DN6300-A

PERFORMANCE FLAP DISC DUAL FLAP



Art.	€	Dimensions	Grit	rpm max	Pack
DN6300.212	€ 2,02	115 x 22 mm	40	13300	10
DN6300.214	€ 2,02	115 x 22 mm	60	13300	10
DN6300.215	€ 2,02	115 x 22 mm	80	13300	10






MULTI PURPOSE

The “best seller”, suitable for massive removals and finishing on most types of ferrous and non-ferrous metal surfaces.

For specific uses, mass productions and finishing - Designed for artisans, large and medium industries. Ideal for the removal of weld seams and processes where long life of the disk is required, as well as sheet metal deburring.

DF4100-Z

GRINDFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF4100.112	€ 1,93	115 x 22 mm	40	13300	10
DF4100.114	€ 1,93	115 x 22 mm	60	13300	10
DF4100.115	€ 1,93	115 x 22 mm	80	13300	10
DF4100.117	€ 1,93	115 x 22 mm	120	13300	10
DF4100.122	€ 2,31	125 x 22 mm	40	12250	10
DF4100.124	€ 2,31	125 x 22 mm	60	12250	10
DF4100.125	€ 2,31	125 x 22 mm	80	12250	10
DF4100.127	€ 2,31	125 x 22 mm	120	12250	10
DF4100.182	€ 3,84	180 x 22 mm	40	8500	10
DF4100.184	€ 3,84	180 x 22 mm	60	8500	10
DF4100.185	€ 3,84	180 x 22 mm	80	8500	10
DF4100.187	€ 3,84	180 x 22 mm	120	8500	10



DF4150-Z

GRINDFLEX FLAP DISC CLASSIC



Art.	€	Dimensions	Grit	rpm max	Pack
DF4150.112	€ 1,93	115 x 22 mm	40	13300	10
DF4150.114	€ 1,93	115 x 22 mm	60	13300	10
DF4150.115	€ 1,93	115 x 22 mm	80	13300	10
DF4150.117	€ 1,93	115 x 22 mm	120	13300	10
DF4150.122	€ 2,31	125 x 22 mm	40	12250	10
DF4150.124	€ 2,31	125 x 22 mm	60	12250	10
DF4150.125	€ 2,31	125 x 22 mm	80	12250	10
DF4150.127	€ 2,31	125 x 22 mm	120	12250	10
DF4150.182	€ 3,84	180 x 22 mm	40	8500	10
DF4150.184	€ 3,84	180 x 22 mm	60	8500	10
DF4150.185	€ 3,84	180 x 22 mm	80	8500	10
DF4150.187	€ 3,84	180 x 22 mm	120	8500	10





DN4100-Z

GRINDFLEX FLAP DISC CLASSIC

Zr Nylon T27 Single EN 13743 Roughing Steel Cast Iron Surface Prep. 0 - 15° Angle grinder Made In ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DN4100.112	€ 1,93	115 x 22 mm	40	13300	10
DN4100.114	€ 1,93	115 x 22 mm	60	10500	10
DN4100.115	€ 1,93	115 x 22 mm	80	13300	10
DN4100.122	€ 2,41	125 x 22 mm	40	12250	10
DN4100.124	€ 2,41	125 x 22 mm	60	12250	10



DN4300-Z

GRINDFLEX FLAP DISC DUAL FLAP

Zr Nylon T27 Double EN 13743 Roughing Steel Cast Iron Surface Prep. 0 - 15° Angle grinder Made In ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DN4300.112	€ 1,93	115 x 22 mm	40	13300	10
DN4300.114	€ 1,93	115 x 22 mm	60	13300	10
DN4300.115	€ 1,93	115 x 22 mm	80	13300	10
DN4300.117	€ 1,93	115 x 22 mm	120	13300	10



DN4550-Z

GRINDFLEX FLAP DISC REAL FLAT

Thanks to a special convex shape backing, this flap discs type are perfectly flat discs with large flaps and constant density and hardness both at the centre and on the peripheral diameter of the disc.

Zr Nylon T28 Double EN 13743 Roughing Steel Cast Iron Surface Prep. 0 - 15° Angle grinder Made In ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DN4550.112	€ 2,69	115 x 22 mm	40	13300	10
DN4550.114	€ 2,69	115 x 22 mm	60	13300	10



DF4600-Z

GRINDFLEX FLAP DISC BIGGER

Grind even longer, even faster, and even better finishing with bigger disc. the new structure provides better benefits compared to conventional flap or grinding discs: 50% more abrasion capacity, saving a great deal of working time, 2x longer service life, excellent value for money, cooler grinding, costs and working time reduction

Zirconium	Glass fiber	T27	Single	EN 13743	Roughing	Steel	Cast Iron	Surface Prep.	0 - 15°	Angle grinder	Made in ITALY


Art.	€	Dimensions	Grit	rpm max	Pack
DF4600.112	€ 2,41	115 x 22 mm	40	13300	10
DF4600.114	€ 2,41	115 x 22 mm	60	13300	10
DF4600.115	€ 2,41	115 x 22 mm	80	13300	10
DF4600.117	€ 2,41	115 x 22 mm	120	13300	10
DF4600.122	€ 2,69	125 x 22 mm	40	12250	10
DF4600.124	€ 2,69	125 x 22 mm	60	12250	10
DF4600.182	€ 4,80	180 x 22 mm	40	8500	10
DF4600.184	€ 4,80	180 x 22 mm	60	8500	10





DF4100-A

GRINDFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF4100.212	€ 1,74	115 x 22 mm	40	13300	10
DF4100.214	€ 1,74	115 x 22 mm	60	13300	10
DF4100.215	€ 1,74	115 x 22 mm	80	13300	10



DF4150-A

GRINDFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF4150.212	€ 1,74	115 x 22 mm	40	13300	10
DF4150.214	€ 1,74	115 x 22 mm	60	13300	10
DF4150.215	€ 1,74	115 x 22 mm	80	13300	10



DN4100-A

GRINDFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DN4100.212	€ 1,83	115 x 22 mm	40	13300	10
DN4100.214	€ 1,83	115 x 22 mm	60	13300	10



DN4300-A

GRINDFLEX FLAP DISC DUAL FLAP



Art.	€	Dimensions	Grit	rpm max	Pack
DN4300.212	€ 1,74	115 x 22 mm	40	13300	10
DN4300.214	€ 1,74	115 x 22 mm	60	13300	10
DN4300.215	€ 1,74	115 x 22 mm	80	13300	10



SMARTFLEX

VALUE FOR MONEY

The best price with professional performances.
For removal and finishing operations.

For common uses and low productions - Designed for hobbyists, building and small artisans (individual companies), who do not want to give up performance. Ideal for removing welding beads, sheet metal deburring and finishing.

DF2100-Z

SMARTFLEX FLAP DISC CLASSIC

Zr **T27** **EN 13743** **Made In ITALY**

Art.	€	Dimensions	Grit	rpm max	Pack
DF2100.112	€ 1,74	115 x 22 mm	40	13300	10
DF2100.114	€ 1,74	115 x 22 mm	60	13300	10
DF2100.115	€ 1,74	115 x 22 mm	80	13300	10
DF2100.117	€ 1,74	115 x 22 mm	120	13300	10
DF2100.122	€ 2,12	125 x 22 mm	40	12250	10
DF2100.124	€ 2,12	125 x 22 mm	60	12250	10
DF2100.125	€ 2,12	125 x 22 mm	80	12250	10
DF2100.127	€ 2,12	125 x 22 mm	120	12250	10



DF2150-Z

SMARTFLEX FLAP DISC CLASSIC

Zr **T29** **EN 13743** **Made In ITALY**

Art.	€	Dimensions	Grit	rpm max	Pack
DF2150.112	€ 1,74	115 x 22 mm	40	13300	10
DF2150.114	€ 1,74	115 x 22 mm	60	13300	10
DF2150.115	€ 1,74	115 x 22 mm	80	13300	10
DF2150.117	€ 1,74	115 x 22 mm	120	13300	10
DF2150.122	€ 2,12	125 x 22 mm	40	12250	10
DF2150.124	€ 2,12	125 x 22 mm	60	12250	10
DF2150.125	€ 2,12	125 x 22 mm	80	12250	10
DF2150.127	€ 2,12	125 x 22 mm	120	12250	10



DN2100-Z

SMARTFLEX FLAP DISC CLASSIC

Zr **T27** **EN 13743** **Made In ITALY**

Art.	€	Dimensions	Grit	rpm max	Pack
DN2100.112	€ 1,74	115 x 22 mm	40	13300	10
DN2100.114	€ 1,74	115 x 22 mm	60	13300	10
DN2100.115	€ 1,74	115 x 22 mm	80	13300	10
DN2100.117	€ 1,74	115 x 22 mm	120	13300	10
DN2100.122	€ 2,12	125 x 22 mm	40	12250	10
DN2100.124	€ 2,12	125 x 22 mm	60	12250	10
DN2100.125	€ 2,12	125 x 22 mm	80	12250	10
DN2100.127	€ 2,12	125 x 22 mm	120	12250	10





DN2300-Z

SMARTFLEX FLAP DISC DUAL FLAP


Zirconium	Nylon	T27	Double	EN 13743	Roughing	Steel	Cast Iron	Surface Prep.	0 - 15°	Angle grinder	Made In ITALY

Art.	€	Dimensions	Grit	rpm max	Pack
DN2300.112	€ 1,74	115 x 22 mm	40	13300	10
DN2300.114	€ 1,74	115 x 22 mm	60	13300	10
DN2300.115	€ 1,74	115 x 22 mm	80	13300	10
DN2300.117	€ 1,74	115 x 22 mm	120	13300	10
DN2300.122	€ 2,12	125 x 22 mm	40	12250	10
DN2300.124	€ 2,12	125 x 22 mm	60	12250	10
DN2300.125	€ 2,12	125 x 22 mm	80	12250	10
DN2300.127	€ 2,12	125 x 22 mm	120	12250	10



DF2100-A

SMARTFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF2100.212	€ 1,53	115 x 22 mm	40	13300	10
DF2100.214	€ 1,53	115 x 22 mm	60	13300	10
DF2100.215	€ 1,53	115 x 22 mm	80	13300	10



DF2150-A

SMARTFLEX FLAP DISC CLASSIC




Art.	€	Dimensions	Grit	rpm max	Pack
DF2150.212	€ 1,53	115 x 22 mm	40	13300	10
DF2150.214	€ 1,53	115 x 22 mm	60	13300	10
DF2150.215	€ 1,53	115 x 22 mm	80	13300	10



DN2100-A

SMARTFLEX FLAP DISC CLASSIC



Art.	€	Dimensions	Grit	rpm max	Pack
DN2100.212	€ 1,53	115 x 22 mm	40	13300	10
DN2100.214	€ 1,53	115 x 22 mm	60	13300	10
DN2100.215	€ 1,53	115 x 22 mm	80	13300	10





SPECIALTY INOX

**Best solution for machining of stainless steel surfaces.
Ceramic cloth, added with cooling “top size” layer.**

For applications in the food, pharmaceutical and chemical industries. Designed for stainless steel specialists. Ideal for processing thin sheets, important burrs of weld seams and where a temperature-resistant product is required.

SPECIALTY INOX is a flap disc composed by an abrasive cloth “**TOP SIZE**” with a mixture of **zirconia and ceramic abrasive grain**. These high quality materials allow a **very high cutting speed** together with an **extraordinary disc life**. The further layer “**TOP SIZE**” drastically reduces the overheating of the disc and of the workpiece, with **obvious benefits when working on stainless steels**. The light blue color is by nature devoid of iron oxides so as to prevent contamination of stainless steels ($\geq 0,1\%$ Fe, S, Cl)

DF9100-ZC

ZIRCO CER FLAP DISC CLASSIC

Zirconium	Glass fiber	T27	Single	EN 13743	Roughing	Stainless steel	Surface Prep.	0 - 15°	Angle grinder	Made in Reflex

Art.	€	Dimensions	Grit	rpm max	Pack
DF9100.312	€ 3,08	115 x 22 mm	40+	13300	10
DF9100.314	€ 3,08	115 x 22 mm	60	13300	10
DF9100.322	€ 3,46	125 x 22 mm	40+	12250	10
DF9100.324	€ 3,46	125 x 22 mm	60	12250	10



DF9150-ZC

ZIRCO CER FLAP DISC CLASSIC

Zirconium	Glass fiber	T29	Single	EN 13743	Roughing	Stainless steel	Surface Prep.	15 - 25°	Angle grinder	Made in Reflex

Art.	€	Dimensions	Grit	rpm max	Pack
DF9150.312	€ 3,08	115 x 22 mm	40+	13300	10
DF9150.314	€ 3,08	115 x 22 mm	60	13300	10
DF9150.322	€ 3,46	125 x 22 mm	40+	12250	10
DF9150.324	€ 3,46	125 x 22 mm	60	12250	10



DN9100-ZC

ZIRCO CER FLAP DISC CLASSIC

Zirconium
 Nylon
 T27
 Single
 EN 13743
 Roughing
 Stainless steel
 Surface Prep.
 0 - 15°
 Angle grinder
 Made in REFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DN9100.312	€ 3,08	115 x 22 mm	40+	13300	10
DN9100.314	€ 3,08	115 x 22 mm	60	13300	10
DN9100.322	€ 3,46	125 x 22 mm	40+	12250	10
DN9100.324	€ 3,46	125 x 22 mm	60	12250	10



DF9800-ZC

ZIRCO CER FLAP DISC RAPTOR

Raptor has higher cutting speed and maximum removal power thanks to its particular shape

Zirconium
 Nylon
 T27
 Single
 EN 13743
 Roughing
 Stainless steel
 Surface Prep.
 0 - 15°
 Angle grinder
 Made in REFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DF9800.312	€ 2,79	115 x 22 mm	40	13300	10
DF9800.322	€ 3,08	125 x 22 mm	40	12250	10





SPECIALTY CER

Best solution for machining stainless steel surfaces, especially for heavy removal with the highest cutting speed, with 100% ceramic abrasive cloth with cooling “top size” layer.

For applications in the food, pharmaceutical and chemical industries. Designed for stainless steel specialists. Ideal for processing thin sheets, important burrs of weld seams and where a temperature-resistant product is required.

SPECIALTY CER is a **flap disc** composed by an abrasive cloth “**TOP SIZE**” with a **100% ceramic abrasive** grain. These high-quality materials allow for **maximum cutting speed** together with an **extraordinary disc life**. The further layer “**TOP SIZE**” drastically reduces the overheating of the disc and of the workpiece, with **obvious benefits when working on stainless steels**. The particularly strong polycotton fabric allows **hard working pressures**.

DF9101-C NEW

CERAMIC FLAP DISC CLASSIC

Ceramic	Glass fiber		Single	EN 13743	Roughing	Stainless steel	Surface Prep.	0 - 15°	Angle grinder	Made In RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DF9101.312	€ 3,80	115 x 22 mm	40	13300	10
DF9101.314	€ 3,80	115 x 22 mm	60	13300	10
DF9101.322	€ 4,80	125 x 22 mm	40	12250	10
DF9101.324	€ 4,80	125 x 22 mm	60	12250	10



DN9101-C NEW

CERAMIC FLAP DISC CLASSIC

Ceramic	Nylon		Single	EN 13743	Roughing	Stainless steel	Surface Prep.	Angle grinder	Made In RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DN9101.312	€ 3,80	115 x 22 mm	40	13300	10
DN9101.314	€ 3,80	115 x 22 mm	60	13300	10
DN9101.322	€ 4,80	125 x 22 mm	40	12250	10
DN9101.324	€ 4,80	125 x 22 mm	60	12250	10



DF9801-C NEW

CERAMIC FLAP DISC RAPTOR

Raptor has higher cutting speed and maximum removal power thanks to its particular shape

Ceramic	Glass fiber		Single	EN 13743	Roughing	Stainless steel	Surface Prep.	0 - 15°	Angle grinder	Made In RIFLEX

Art.	€	Dimensions	Grit	rpm max	Pack
DF9801.312	€ 3,80	115 x 22 mm	40	13300	10
DF9801.322	€ 4,80	125 x 22 mm	40	12250	10



SPECIALTY ALU

LOW TEMPERATURES, HIGH PERFORMANCE.

Ideal disc for machining aluminum surfaces, with Abranet® Max canvas.

For deburring and finishing on aluminum and non-ferrous materials such as copper, zinc, brass, magnesium as well as wood and composite materials and where the problem of clogging could arise.

SPECIALTY ALU is a **special disc** designed for **aluminum** processing and, in general, for all non-ferrous metals and composite materials. It is made with a **special polyamide net support that avoids clogging of the abrasive** and allows the processing of the material at low temperature.

DF9103-M

SPECIALTY ALU FLAP DISC CLASSIC



Art.	€	Dimensions	Grit	rpm max	Pack
DF9103.512	€ 3,83	115 x 22 mm	40	13300	10
DF9103.514	€ 3,83	115 x 22 mm	60	13300	10
DF9103.515	€ 3,83	115 x 22 mm	80	13300	10
DF9103.517	€ 3,83	115 x 22 mm	120	13300	10
DF9103.522	€ 4,95	125 x 22 mm	40	12250	10
DF9103.524	€ 4,95	125 x 22 mm	60	12250	10
DF9103.525	€ 4,95	125 x 22 mm	80	12250	10
DF9103.527	€ 4,95	125 x 22 mm	120	12250	10



DF9153-M

SPECIALTY ALU FLAP DISC CLASSIC



Art.	€	Dimensions	Grit	rpm max	Pack
DF9153.512	€ 3,83	115 x 22 mm	40	13300	10
DF9153.514	€ 3,83	115 x 22 mm	60	13300	10
DF9153.515	€ 3,83	115 x 22 mm	80	13300	10
DF9153.517	€ 3,83	115 x 22 mm	120	13300	10
DF9153.522	€ 4,95	125 x 22 mm	40	12250	10
DF9153.524	€ 4,95	125 x 22 mm	60	12250	10
DF9153.525	€ 4,95	125 x 22 mm	80	12250	10
DF9153.527	€ 4,95	125 x 22 mm	120	12250	10






MFDXZ

MINI FLAP DISC

Fast lock. long life, deburring and blending small areas, grinding edges.




Art.	€	Diameter ø	Grit	rpm max	Pack
MFD050/040Z	€ 2,22	50 mm	40	25000	10
MFD050/060Z	€ 2,22	50 mm	60	25000	10
MFD050/080Z	€ 2,22	50 mm	80	25000	10
MFD050/120Z	€ 2,22	50 mm	120	25000	10
MFD075/040Z	€ 3,75	75 mm	40	20000	10
MFD075/060Z	€ 3,75	75 mm	60	20000	10
MFD075/080Z	€ 3,75	75 mm	80	20000	10
MFD075/120Z	€ 3,75	75 mm	120	20000	10



MFDXZC

CERAMIC MINI FLAP DISC

Fast lock. ceramic abrasive is hard and self sharpening, with faster stock removal and much longer life compared to zirconia. ideal to work on edges or with heavy pressure.




Art.	€	Diameter ø	Grit	rpm max	Pack
MFD050/040ZC	€ 2,41	50 mm	40	25000	10
MFD050/060ZC	€ 2,41	50 mm	60	25000	10
MFD050/080ZC	€ 2,41	50 mm	80	25000	10

MCDXZ

MINI CUP FLAP DISC

Fast lock. suited for contoured surfaces. more flexible and conformable compared to mini discs.



Art.	€	Diameter ø	Grit	rpm max	Pack
MCD050/040Z	€ 3,30	50 mm	40	25000	10
MCD050/060Z	€ 3,30	50 mm	60	25000	10
MCD050/080Z	€ 3,30	50 mm	80	25000	10
MCD050/120Z	€ 3,30	50 mm	120	25000	10

SGFX

RUBBER HOLDER

Monobloc, suitable for all types of fast locks.



Art.	€	Diameter ø	Shank	rpm max
SGF050/06	€ 8,70	50 mm	6 mm	30000
SGF075/06	€ 10,10	75 mm	6 mm	28000

SFFX

RUBBER HOLDER

In two parts both with M14 connection and pin, suitable for all types of fast-locks.



Art.	€	Diameter ø	Thread	Shank	rpm max
SFF050/M14	€ 13,20	50 mm	M14	6 mm	30000
SFF075/M14	€ 14,90	75 mm	M14	6 mm	28000

RMTX

MICRO FLAP WHEELS

ADR3/6 € 10,00
ADAPTER FROM SHAFT 3MM
TO 6mm



RGTX

ALUMINIUM OXIDE SHAFT-MOUNTED CLOTH WHEELS



Art.	€	Diameter ø	H	Shank	Grit	rpm max	Pack
RMT1010/060	€ 2,37	10 mm	10 mm	3 mm	60	26000	25
RMT1010/080	€ 2,37	10 mm	10 mm	3 mm	80	26000	25
RMT1010/120	€ 2,37	10 mm	10 mm	3 mm	120	26000	25
RMT1515/060	€ 1,99	15 mm	15 mm	3 mm	60	26000	25
RMT1515/080	€ 1,99	15 mm	15 mm	3 mm	80	26000	25
RMT1515/120	€ 1,99	15 mm	15 mm	3 mm	120	26000	25




Art.	€	Dimensions	Shank	Grit	rpm max	Pack
RGT2010/40	€ 2,16	20 x 10 mm	6 mm	40	26000	10
RGT2010/60	€ 2,16	20 x 10 mm	6 mm	60	26000	10
RGT2010/80	€ 2,16	20 x 10 mm	6 mm	80	26000	10
RGT2010/120	€ 2,16	20 x 10 mm	6 mm	120	26000	10
RGT2015/40	€ 2,16	20 x 15 mm	6 mm	40	25000	10
RGT2015/60	€ 2,16	20 x 15 mm	6 mm	60	25000	10
RGT2015/80	€ 2,16	20 x 15 mm	6 mm	80	25000	10
RGT2015/120	€ 2,16	20 x 15 mm	6 mm	120	25000	10
RGT2515/60	€ 2,05	25 x 15 mm	6 mm	60	25000	10
RGT2515/80	€ 2,05	25 x 15 mm	6 mm	80	25000	10
RGT2515/120	€ 2,05	25 x 15 mm	6 mm	120	25000	10
RGT2525/40	€ 2,04	25 x 25 mm	6 mm	40	25000	10
RGT2525/60	€ 2,04	25 x 25 mm	6 mm	60	25000	10
RGT2525/80	€ 2,04	25 x 25 mm	6 mm	80	25000	10
RGT2525/120	€ 2,04	25 x 25 mm	6 mm	120	25000	10
RGT3010/40	€ 1,97	30 x 10 mm	6 mm	40	22900	10
RGT3010/60	€ 1,97	30 x 10 mm	6 mm	60	22900	10
RGT3010/80	€ 1,97	30 x 10 mm	6 mm	80	22900	10
RGT3010/120	€ 1,97	30 x 10 mm	6 mm	120	22900	10
RGT3015/40	€ 2,16	30 x 15 mm	6 mm	40	22900	10
RGT3015/60	€ 2,16	30 x 15 mm	6 mm	60	22900	10
RGT3015/80	€ 2,16	30 x 15 mm	6 mm	80	22900	10
RGT3015/120	€ 2,16	30 x 15 mm	6 mm	120	22900	10
RGT3020/40	€ 2,29	30 x 20 mm	6 mm	40	22900	10
RGT3020/60	€ 2,29	30 x 20 mm	6 mm	60	22900	10
RGT3020/80	€ 2,29	30 x 20 mm	6 mm	80	22900	10
RGT3020/120	€ 2,29	30 x 20 mm	6 mm	120	22900	10
RGT4015/40	€ 2,31	40 x 15 mm	6 mm	40	17100	10
RGT4015/60	€ 2,31	40 x 15 mm	6 mm	60	17100	10
RGT4015/80	€ 2,38	40 x 15 mm	6 mm	80	17100	10
RGT4015/120	€ 2,38	40 x 15 mm	6 mm	120	17100	10
RGT4020/40	€ 2,38	40 x 20 mm	6 mm	40	17100	10
RGT4020/60	€ 2,38	40 x 20 mm	6 mm	60	17100	10
RGT4020/80	€ 2,38	40 x 20 mm	6 mm	80	17100	10
RGT4020/120	€ 2,38	40 x 20 mm	6 mm	120	17100	10
RGT4030/40	€ 2,72	40 x 30 mm	6 mm	40	17100	10
RGT4030/60	€ 2,72	40 x 30 mm	6 mm	60	17100	10
RGT4030/80	€ 2,72	40 x 30 mm	6 mm	80	17100	10
RGT4030/120	€ 2,72	40 x 30 mm	6 mm	120	17100	10
RGT5020/40	€ 2,48	50 x 20 mm	6 mm	40	13700	10
RGT5020/60	€ 2,48	50 x 20 mm	6 mm	60	13700	10
RGT5020/80	€ 2,48	50 x 20 mm	6 mm	80	13700	10
RGT5020/120	€ 2,48	50 x 20 mm	6 mm	120	13700	10
RGT5030/40	€ 2,93	50 x 30 mm	6 mm	40	11400	10
RGT5030/60	€ 2,93	50 x 30 mm	6 mm	60	11400	10
RGT5030/80	€ 2,93	50 x 30 mm	6 mm	80	11400	10
RGT5030/120	€ 2,93	50 x 30 mm	6 mm	120	11400	10
RGT6020/40	€ 3,28	60 x 20 mm	6 mm	40	11400	10
RGT6020/60	€ 3,28	60 x 20 mm	6 mm	60	11400	10
RGT6020/80	€ 3,28	60 x 20 mm	6 mm	80	11400	10
RGT6020/120	€ 3,28	60 x 20 mm	6 mm	120	11400	10
RGT6030/40	€ 3,60	60 x 30 mm	6 mm	40	11400	10
RGT6030/60	€ 3,60	60 x 30 mm	6 mm	60	11400	10
RGT6030/80	€ 3,60	60 x 30 mm	6 mm	80	11400	10
RGT6030/120	€ 3,60	60 x 30 mm	6 mm	120	11400	10

RGMX

MIXED NONWOVEN AND CLOTH WHEELS WITH SHAFT

Made of nonwoven flaps interspersed with abrasive cloth flaps arranged radially.




Art.	€	Dimensions	Shank	Cloth	Grit	Pack
RGM030/20M	€ 4,34	30 x 20 mm	6 mm	A/O-M	60	10
RGM030/20F	€ 4,34	30 x 20 mm	6 mm	A/O-F	100	10
RGM030/20VF	€ 4,34	30 x 20 mm	6 mm	A/O-VF	150	10
RGM040/20M	€ 5,20	40 x 20 mm	6 mm	A/O-M	60	10
RGM040/20F	€ 5,20	40 x 20 mm	6 mm	A/O-F	100	10
RGM040/20VF	€ 5,20	40 x 20 mm	6 mm	A/O-VF	150	10
RGM050/30M	€ 5,80	50 x 30 mm	6 mm	A/O-M	60	10
RGM050/30F	€ 5,80	50 x 30 mm	6 mm	A/O-F	100	10
RGM050/30VF	€ 5,80	50 x 30 mm	6 mm	A/O-VF	150	10
RGM060/30M	€ 6,60	60 x 30 mm	6 mm	A/O-M	60	10
RGM060/30F	€ 6,60	60 x 30 mm	6 mm	A/O-F	100	10
RGM060/30VF	€ 6,60	60 x 30 mm	6 mm	A/O-VF	150	10
RGM080/50M	€ 8,60	80 x 50 mm	6 mm	A/O-M	60	10
RGM080/50F	€ 8,60	80 x 50 mm	6 mm	A/O-F	100	10
RGM080/50VF	€ 8,60	80 x 50 mm	6 mm	A/O-VF	150	10



RFTX

ALUMINIUM OXIDE CLOTH WHEELS WITH HOLE

The wheel can be configured on the profile of the workpiece. Lubricating the wheel with oil or fat, it improves the degree of finish, the duration of the wheel and is held action dustproof.



Art.	€	Dimensions	Grit	rpm max
RFT165/25040	€ 20,20	165 x 25 x 54 mm	40	5200
RFT165/25060	€ 20,80	165 x 25 x 54 mm	60	5200
RFT165/25080	€ 21,00	165 x 25 x 54 mm	80	5200
RFT165/25120	€ 21,60	165 x 25 x 54 mm	120	5200
RFT165/25220	€ 27,30	165 x 25 x 54 mm	220	5200
RFT165/30040	€ 21,10	165 x 30 x 54 mm	40	5200
RFT165/30060	€ 34,10	165 x 30 x 54 mm	60	5200
RFT165/30080	€ 21,80	165 x 30 x 54 mm	80	5200
RFT165/30120	€ 22,70	165 x 30 x 54 mm	120	5200
RFT165/30220	€ 44,80	165 x 30 x 54 mm	220	5200
RFT165/50040	€ 40,00	165 x 50 x 54 mm	40	5200
RFT165/50060	€ 43,20	165 x 50 x 54 mm	60	5200
RFT165/50080	€ 44,10	165 x 50 x 54 mm	80	5200
RFT165/50120	€ 47,90	165 x 50 x 54 mm	120	5200
RFT165/50220	€ 41,20	165 x 50 x 54 mm	220	5200
RFT165/50040A	€ 29,30	165 x 50 x 25 mm	40	5200
RFT165/50060A	€ 29,80	165 x 50 x 25 mm	60	5200
RFT165/50080A	€ 30,90	165 x 50 x 25 mm	80	5200
RFT165/50120A	€ 31,90	165 x 50 x 25 mm	120	5200
RFT165/50220A	€ 41,20	165 x 50 x 25 mm	220	5200
RFT200/50040	€ 34,80	200 x 50 x 54 mm	40	3800
RFT200/50060	€ 38,30	200 x 50 x 54 mm	60	3800
RFT200/50080	€ 39,70	200 x 50 x 54 mm	80	3800
RFT200/50120	€ 41,00	200 x 50 x 54 mm	120	3800
RFT250/50040	€ 66,20	250 x 50 x 100 mm	40	3400
RFT250/50060	€ 70,40	250 x 50 x 100 mm	60	3400
RFT250/50080	€ 114,00	250 x 50 x 100 mm	80	3400
RFT250/50120	€ 118,00	250 x 50 x 100 mm	120	3400

FRFX

PAIR OF FLANGES



Art.	€	Size	Hole
FRF54/20	€ 17,00	54 mm	20 mm
FRF54/25	€ 17,00	54 mm	25 mm

RGPX

NONWOVEN WHEELS WITH SHAFT

Flaps arranged radially.




Art.	€	Dimensions	Shank	Grit	Pack
RGP030/20C	€ 3,76	30 x 20 mm	6 mm	COARSE	10
RGP030/20M	€ 3,76	30 x 20 mm	6 mm	MEDIUM	10
RGP030/20F	€ 3,76	30 x 20 mm	6 mm	FINE	10
RGP030/20VF	€ 3,76	30 x 20 mm	6 mm	VERY FINE	10
RGP040/20C	€ 4,02	40 x 20 mm	6 mm	COARSE	10
RGP040/20M	€ 4,02	40 x 20 mm	6 mm	MEDIUM	10
RGP040/20F	€ 4,02	40 x 20 mm	6 mm	FINE	10
RGP040/20VF	€ 4,02	40 x 20 mm	6 mm	VERY FINE	10
RGP050/30C	€ 5,10	50 x 30 mm	6 mm	COARSE	10
RGP050/30M	€ 5,10	50 x 30 mm	6 mm	MEDIUM	10
RGP050/30F	€ 5,10	50 x 30 mm	6 mm	FINE	10
RGP050/30VF	€ 5,10	50 x 30 mm	6 mm	VERY FINE	10
RGP060/30C	€ 5,30	60 x 30 mm	6 mm	COARSE	10
RGP060/30M	€ 5,30	60 x 30 mm	6 mm	MEDIUM	10
RGP060/30F	€ 5,30	60 x 30 mm	6 mm	FINE	10
RGP060/30VF	€ 5,30	60 x 30 mm	6 mm	VERY FINE	10
RGP080/50C	€ 8,20	80 x 50 mm	6 mm	COARSE	10
RGP080/50M	€ 8,20	80 x 50 mm	6 mm	MEDIUM	10
RGP080/50F	€ 8,20	80 x 50 mm	6 mm	FINE	10
RGP080/50VF	€ 8,20	80 x 50 mm	6 mm	VERY FINE	10

RLFX

THREADED BORE FLAP WHEEL

Suited for angle grinders with M14 thread. remove light weld seams on round and irregular metal surfaces.





Art.	€	Size	Thread	Grit	rpm max
RLF115/040	€ 13,10	Ø 115 x 20 mm	M14	40	9000
RLF115/060	€ 13,10	Ø 115 x 20 mm	M14	60	9000
RLF115/080	€ 13,10	Ø 115 x 20 mm	M14	80	9000
RLF115/120	€ 13,10	Ø 115 x 20 mm	M14	120	9000
RLF125/040	€ 14,30	Ø 115 x 20 mm	M14	40	9000
RLF125/060	€ 14,30	Ø 125 X 20 mm	M14	60	9000
RLF125/080	€ 14,30	Ø 125 X 20 mm	M14	80	9000
RLF125/120	€ 14,30	Ø 125 X 20 mm	M14	120	9000

RFPX

NONWOVEN WHEELS WITH BORE


Made of nonwoven, flaps radially arranged.



Art.	€	Dimensions	Grit
RFP165/50M	€ 16,20	165 x 50 x 65 mm	Medium
RFP165/50F	€ 16,20	165 x 50 x 65 mm	Fine
RFP165/50VF	€ 16,20	165 x 50 x 65 mm	Very Fine
RFP200/50M	€ 22,70	200 x 50 x 110 mm	Medium
RFP200/50F	€ 22,70	200 x 50 x 110 mm	Fine
RFP200/50VF	€ 22,70	200 x 50 x 110 mm	Very Fine

RLMX


MIXED NONWOVEN WHEELS



Art.	€	Dimensions	Cloth	Grit	Hole diameter
RLM100/060C	€ 18,10	100 x 100 mm	A/C	60	19 mm
RLM100/080M	€ 18,10	100 x 100 mm	A/M	80	19 mm
RLM100/150F	€ 18,10	100 x 100 mm	A/F	150	19 mm

NAS100X-Z

ZIRCONIA CLOTH BELTS



Art.	€	Dimensions	Grit
NAS100/040Z	€ 2,63	90 x 100 mm	40
NAS100/060Z	€ 2,63	90 x 100 mm	60
NAS100/080Z	€ 2,63	90 x 100 mm	80
NAS100/120Z	€ 2,63	90 x 100 mm	120

RLTX

ABRASIVE CLOTH WHEELS





Art.	€	Dimensions	Grit	Hole diameter
RLT050/040	€ 15,20	100 x 50 mm	40	19 mm
RLT050/060	€ 15,20	100 x 50 mm	60	19 mm
RLT050/080	€ 15,20	100 x 50 mm	80	19 mm
RLT050/120	€ 15,20	100 x 50 mm	120	19 mm
RLT100/040	€ 22,10	100 x 100 mm	40	19 mm
RLT100/060	€ 22,10	100 x 100 mm	60	19 mm
RLT100/080	€ 23,10	100 x 100 mm	80	19 mm
RLT100/120	€ 23,10	100 x 100 mm	120	19 mm

RLPX

NONWOVEN WHEELS


Diversified color according to the grit



Art.	€	Dimensions	Grit	Hole diameter
RLP100/C	€ 16,00	100 x 100 mm	A/O-C	19 mm
RLP100/M	€ 15,10	100 x 100 mm	A/O-M	19 mm
RLP100/F	€ 15,10	100 x 100 mm	A/O-F	19 mm
RLP100/VF	€ 15,10	100 x 100 mm	A/O-VF	19 mm

NAS100X-A

ALUMINIUM OXIDE CLOTH BELTS




Art.	€	Dimensions	Grit
NAS100/180A	€ 2,38	90 x 100 mm	180
NAS100/240A	€ 2,38	90 x 100 mm	240



NAS100X-C


CERAMIC BELTS



Art.	€	Dimensions	Grit
NAS100/040C	€ 5,30	90 x 100 mm	40
NAS100/060C	€ 4,79	90 x 100 mm	60
NAS100/080C	€ 4,55	90 x 100 mm	80
NAS100/120C	€ 4,13	90 x 100 mm	120

SCSX

SURFACE CONDITIONING BELTS



Art.	€	Dimensions	Grit
SCS100/C	€ 13,60	90 x 100 mm	Coarse
SCS100/M	€ 12,90	90 x 100 mm	Medium
SCS100/VF	€ 12,90	90 x 100 mm	Very fine

ERW100

CENTRIFUGAL EXPANDING WHEEL


€ 75,50



Dimensions	90 x 100 mm
Hole	19.1 - 35 mm
rpm max	6000

NAT100X

TRIZACT BELTS



Art.	€	Dimensions	Grit
NAT100/A006	€ 8,50	90 x 100 mm	A6
NAT100/A016	€ 8,50	90 x 100 mm	A16
NAT100/A030	€ 8,50	90 x 100 mm	A30
NAT100/A045	€ 8,50	90 x 100 mm	A45
NAT100/A065	€ 8,50	90 x 100 mm	A65
NAT100/A100	€ 8,50	90 x 100 mm	A100
NAT100/A160	€ 8,50	90 x 100 mm	A160

RPW090

RUBBER PNEUMATIC WHEEL

€ 89,90




Dimensions	90 x 90 mm
Hole	19.1 mm
rpm max	6000

SWS100

BRASS STEEL WIRE WHEELS

€ 82,10

For deburring, stripping, removing rust and calamine and rusticating wood.




Dimensions	100 x 100 mm
Hole	19.1 mm
Wire	0.3 mm
rpm max	6800

SWS100/M € 94,80

BRASS STEEL WIRE WHEELS

Suitable for Makita machines, for deburring, stripping, removing rust and calamine and rustivating wood




Dimensions	100 x 100 mm
Hole	13 mm
Wire	0.3 mm
rpm max	6800

NWS100 € 142,00

ABRASIVE NYLON WIRE WHEELS

For cleaning metals and rustivating wood.



Dimensions	100 x 100 mm
Hole	19.1 mm
Grit	80
rpm max	6800

NWS100/M € 152,00

ABRASIVE NYLON WIRE WHEELS

Suitable for Makita machines, for cleaning metals and rustivating wood



Dimensions	100 x 100 mm
Hole	13 mm
Grit	80
rpm max	6800






FDCX

VIPER SEMI FLEXIBLE FIBER DISC

Innovative semi flexible depressed center fiberdisc with built-in backing pad for a more precise, faster and comfortable grinding of welding seams, sharp edges, flat and curved surfaces.




Art.	€	Dimensions	Hardness	rpm max	Pack
FDC115/036	€ 4,56	115x22,23 mm	SG 36	13300	25
FDC115/060	€ 4,56	115x22,23 mm	SG 60	13300	25
FDC115/120	€ 4,56	115x22,23 mm	SG 120	13300	25
FDC125/036	€ 4,72	125x22,23 mm	SG 36	12250	25

DFVX-XZ

VULCANISED FIBRE DISCS

Fiber discs are constituted by a vulcanised cellulose fiber support of 0,8 mm. thickness. various types of abrasive are deposited on it. these are fastened with a double layer of thermosetting resin added with active fillers which give the products cooling and anti-clogging properties. applied to a backing pad as support, the discs are used on portable sander.



Art.	€	Dimensions	Grit	rpm max	Pack
DFV115/036Z	€ 0,83	115 x 22 mm	36	13300	25
DFV115/040Z	€ 0,74	115 x 22 mm	40	13300	25
DFV115/060Z	€ 0,68	115 x 22 mm	60	13300	25
DFV115/080Z	€ 0,63	115 x 22 mm	80	13300	25
DFV115/120Z	€ 0,55	115 x 22 mm	120	13300	25
DFV180/036Z	€ 1,87	180 x 22 mm	36	8600	25
DFV180/040Z	€ 1,67	180 x 22 mm	40	8600	25
DFV180/060Z	€ 1,43	180 x 22 mm	60	8600	25
DFV180/080Z	€ 1,38	180 x 22 mm	80	8600	25
DFV180/120Z	€ 1,22	180 x 22 mm	120	8600	25

DFVX-XA

VULCANISED FIBRE DISCS

Fiber discs are constituted by a vulcanised cellulose fiber support of 0,8 mm. thickness. various types of abrasive are deposited on it. these are fastened with a double layer of thermosetting resin added with active fillers which give the products cooling and anti-clogging properties. applied to a backing pad as support, the discs are used on portable sander.




Art.	€	Dimensions	Grit	rpm max	Pack
DFV115/024A	€ 0,59	115 x 22 mm	24	13300	25
DFV115/036A	€ 0,63	115 x 22 mm	36	13300	25
DFV115/060A	€ 0,59	115 x 22 mm	60	13300	25
DFV115/080A	€ 0,48	115 x 22 mm	80	13300	25
DFV115/120A	€ 0,48	115 x 22 mm	120	13300	25
DFV180/024A	€ 1,32	180 x 22 mm	24	8600	25
DFV180/036A	€ 1,28	180 x 22 mm	36	8600	25
DFV180/060A	€ 1,19	180 x 22 mm	60	8600	25
DFV180/080A	€ 1,13	180 x 22 mm	80	8600	25

PFBX

BACKING PADS

Standard backing pad for fibre discs, professional, hard.




Art.	€	Diameter ø	Thread	rpm max
PFB115	€ 5,10	115 mm	M14	13300
PFB180	€ 8,80	180 mm	M14	8500

PFSX

BACKING PADS

For fiber discs. with cooling ribs for rough and cooling grinding, very hard.




Art.	€	Diameter ø	Thread	rpm max
PFS115	€ 9,80	115 mm	M14	13300
PFS180	€ 17,60	180 mm	M14	8500

MDAXZT

FAST LOCK ZIRCONIA TOP SIZE

Fast lock. long life, deburring and blending small areas, grinding edges.



Art.	€	Diameter ø	Grit	rpm max	Pack
MDA050/036ZT	€ 0,77	50 mm	36	25000	25
MDA050/060ZT	€ 0,76	50 mm	60	25000	25
MDA050/080ZT	€ 0,76	50 mm	80	25000	25
MDA050/120ZT	€ 0,76	50 mm	120	25000	25
MDA075/036ZT	€ 1,28	75 mm	36	20000	25
MDA075/060ZT	€ 1,21	75 mm	60	20000	25
MDA075/080ZT	€ 1,21	75 mm	80	20000	25
MDA075/120ZT	€ 1,21	75 mm	120	20000	25

D17X

ADHESIVE ABRASIVE DISCS



Art.	€	Sizes	Grit	Pack
D174	€ 1,34	150 mm	60	10
D175	€ 1,34	150 mm	100	10
D178/060	€ 1,34	200 mm	60	10
D178/100	€ 1,34	200 mm	100	10
D176	€ 2,26	226 mm	60	10
D177	€ 2,26	226 mm	100	10



VDAX

VELCRO DISCS

Corundum resin coated on heavy paper (weight F), closed coat



Art.	€	Diameter ø	Holes	Grit	Pack
VDA115/040	€ 0,30	115 mm	-	40	50
VDA115/060	€ 0,30	115 mm	-	60	100
VDA115/080	€ 0,30	115 mm	-	80	100
VDA115/100	€ 0,30	115 mm	-	100	100
VDA115/120	€ 0,30	115 mm	-	120	100
VDA115/180	€ 0,30	115 mm	-	180	100
VDA115/220	€ 0,30	115 mm	-	220	100
VDA125/40F8	€ 0,37	125 mm	8	40	50
VDA125/60F8	€ 0,34	125 mm	8	60	100
VDA125/80F8	€ 0,34	125 mm	8	80	100
VDA125/100F8	€ 0,34	125 mm	8	100	100
VDA125/120F8	€ 0,34	125 mm	8	120	100
VDA125/180F8	€ 0,34	125 mm	8	180	100
VDA125/220F8	€ 0,34	125 mm	8	220	100
VDA150/040	€ 0,47	150 mm	-	40	50
VDA150/060	€ 0,43	150 mm	-	60	100
VDA150/080	€ 0,43	150 mm	-	80	100
VDA150/100	€ 0,43	150 mm	-	100	100
VDA150/120	€ 0,43	150 mm	-	120	100
VDA150/180	€ 0,43	150 mm	-	180	100
VDA150/220	€ 0,43	150 mm	-	220	100
VDA150/040F6	€ 0,47	150 mm	6	40	50
VDA150/060F6	€ 0,43	150 mm	6	60	100
VDA150/080F6	€ 0,43	150 mm	6	80	100
VDA150/100F6	€ 0,43	150 mm	6	100	100
VDA150/120F6	€ 0,43	150 mm	6	120	100
VDA150/180F6	€ 0,43	150 mm	6	180	100
VDA150/220F6	€ 0,43	150 mm	6	220	100

VDGX

VELCRO DISCS "GOLD"


Double resin corundum stearate on light paper (weight C), semi-open coating. The addition of zinc stearate prevents clogging.



Art.	€	Diameter	Grit	Holes	Pack
VDG150/060	€ 0,45	ø 150 mm	60	-	100
VDG150/080	€ 0,43	ø 150 mm	80	-	100
VDG150/120	€ 0,43	ø 150 mm	120	-	100
VDG150/150	€ 0,43	ø 150 mm	150	-	100
VDG150/180	€ 0,43	ø 150 mm	180	-	100
VDG150/220	€ 0,43	ø 150 mm	220	-	100
VDG150/320	€ 0,43	ø 150 mm	320	-	100
VDG150/400	€ 0,43	ø 150 mm	400	-	100
VDG150/600	€ 0,43	ø 150 mm	600	-	100
VDG150/800	€ 0,43	ø 150 mm	800	-	100
VDG150/060F6	€ 0,45	ø 150 mm	60	6	100
VDG150/080F6	€ 0,43	ø 150 mm	80	6	100
VDG150/120F6	€ 0,43	ø 150 mm	120	6	100
VDG150/150F6	€ 0,43	ø 150 mm	150	6	100
VDG150/180F6	€ 0,43	ø 150 mm	180	6	100
VDG150/220F6	€ 0,43	ø 150 mm	220	6	100
VDG150/320F6	€ 0,43	ø 150 mm	320	6	100
VDG150/400F6	€ 0,43	ø 150 mm	400	6	100
VDG150/600F6	€ 0,43	ø 150 mm	600	6	100
VDG150/800F6	€ 0,43	ø 150 mm	800	6	100
VDG150/060F8	€ 0,45	ø 150 mm	60	8	100
VDG150/080F8	€ 0,43	ø 150 mm	80	8	100
VDG150/120F8	€ 0,43	ø 150 mm	120	8	100
VDG150/150F8	€ 0,43	ø 150 mm	150	8	100
VDG150/180F8	€ 0,43	ø 150 mm	180	8	100
VDG150/220F8	€ 0,43	ø 150 mm	220	8	100
VDG150/320F8	€ 0,43	ø 150 mm	320	8	100
VDG150/400F8	€ 0,43	ø 150 mm	400	8	100
VDG150/600F8	€ 0,43	ø 150 mm	600	8	100
VDG150/800F8	€ 0,43	ø 150 mm	800	8	100

ZSAX
VELCRO DISCS



Double resin corundum stearate on light paper (C weight), closed coat. The addition of zinc stearate prevents clogging.



Art.	€	Diameter ø	Holes	Grit	Pack
ZSA150/080	€ 0,43	150 mm	-	80	100
ZSA150/120	€ 0,39	150 mm	-	120	100
ZSA150/180	€ 0,39	150 mm	-	180	100
ZSA150/240	€ 0,39	150 mm	-	240	100
ZSA150/320	€ 0,39	150 mm	-	320	100
ZSA150/400	€ 0,39	150 mm	-	400	100
ZSA150/80F6	€ 0,43	150 mm	6	80	100
ZSA150/120F6	€ 0,39	150 mm	6	120	100
ZSA150/180F6	€ 0,39	150 mm	6	180	100
ZSA150/240F6	€ 0,39	150 mm	6	240	100
ZSA150/320F6	€ 0,39	150 mm	6	320	100
ZSA150/400F6	€ 0,39	150 mm	6	400	100

VDZX
VELCRO DISCS



Zirconium resin on heavy paper (weight F), closed coating. Top quality, very aggressive and long lasting, the backing resists the higher stresses and speeds of paper discs.



Art.	€	Diameter ø	Grit	Pack
VDZ115/040	€ 0,65	115 mm	40	50
VDZ115/060	€ 0,63	115 mm	60	100
VDZ115/080	€ 0,58	115 mm	80	100
VDZ115/120	€ 0,54	115 mm	120	100
VDZ125/040	€ 0,78	125 mm	40	100
VDZ125/060	€ 0,67	125 mm	60	100
VDZ125/080	€ 0,65	125 mm	80	100
VDZ125/120	€ 0,58	125 mm	120	100
VDZ150/040	€ 1,03	150 mm	40	50
VDZ150/060	€ 0,87	150 mm	60	100
VDZ150/080	€ 0,82	150 mm	80	100
VDZ150/120	€ 0,78	150 mm	120	100

VDRX
VELCRO SANDING SCREEN

Support made of mesh allows you to vacuum up to 90% of the dust generated by abrasion, resists heat making them usable even with angle grinders, usable dry and wet. Longer service life and healthier working environment thanks to the suction of residues.



Art.	€	Diameter ø	Grit	Pack
VDR150/080	€ 0,82	150 mm	80	50
VDR150/120	€ 0,82	150 mm	120	50
VDR150/180	€ 0,82	150 mm	180	50
VDR150/240	€ 0,82	150 mm	240	50
VDR150/320	€ 0,82	150 mm	320	50
VDR150/400	€ 0,82	150 mm	400	50
VDR150/600	€ 0,82	150 mm	600	50

PDBX
BACKING PADS WITHOUT FOAM

For velcro discs



Art.	€	Diameter ø	Thread	rpm max
PDB115/M14	€ 9,20	115 mm	M14	13300
PDB125/M14	€ 10,50	125 mm	M14	12200
PDB150/M14	€ 14,10	150 mm	M14	10000

PDMX
BACKING PADS WITH FOAM

Professional version, for velcro discs, to adapt better to the workpiece to be worked.



Art.	€	Diameter ø	Thickness	Thread	rpm max
PDM115/12M14	€ 16,40	115 mm	12 mm	M14	13300
PDM125/12M14	€ 18,70	125 mm	12 mm	M14	12200
PDM150/12M14	€ 21,30	150 mm	12 mm	M14	10000



PMEX

BACKING PADS WITH FOAM

For velcro discs, to adapt better to the workpiece.



Art.	€	Diameter ø	Thickness	Thread	rpm max
PME125/18M14	€ 5,10	125 mm	18 mm	M14	6800
PME150/12M14	€ 7,20	150 mm	12 mm	M14	10000

PPSX

POLYURETHANE BACKING PADS

For velcro discs, soft version.



Art.	€	Diameter ø	Thickness	Thread	rpm max
PPS125/27M14	€ 20,10	125 mm	27 mm	M14	8000
PPS150/29M14	€ 21,60	150 mm	29 mm	M14	7000

PDVX-M14

BACKING PAD WITH VENTILATION

For velcro discs, the grooves improve heat dispersion, increasing the life of the abrasive and preventing overheating of the work piece.



Art.	€	Diameter ø	Thread
PDV115/M14	€ 31,20	115 mm	M14
PDV125/M14	€ 32,00	125 mm	M14
PDV150/M14	€ 35,20	150 mm	M14

0459

€ 7,10

HOOK AND LOOP PAD

With 6 holes and 5/16"–24tpi male thread.




Disc diameter	150 mm – 6"
Max speed	12000 rpm




PFLX

BACKING PADS FOR ORBITAL SANDERS



Art.	€	Diameter ø	Thickness	Shank	Holes	rpm max
PFL125/10F8	€ 14,70	125 mm	10 mm	5/16" mm	8	12000
PFL150/10	€ 17,10	150 mm	10 mm	5/16" mm	-	10000
PFL150/10F6	€ 18,40	150 mm	10 mm	5/16" mm	6	10000




TEV120

€ 9,80

BLOCK FOR VELCRO DISCS

Ergonomic shape, quick change of the abrasive sheet.



Size	70 x 120 mm
------	-------------

TDV

€ 17,90

BLOCK FOR VELCRO DISCS

Allows you to use velcro discs by hand.




Size	150 mm
------	--------

RASX

ANTI WASTE ROLLS

Extra flexible double resin canvas. Specific for turning, molds, weapons and for all processes that require a highly flexible and long-lasting canvas




Art.	€	Dimensions	Grit
RAS40	€ 26,90	50 mm x 25 m	40
RAS60	€ 24,20	50 mm x 25 m	60
RAS80	€ 23,00	50 mm x 25 m	80
RAS120	€ 20,10	50 mm x 25 m	120
RAS180	€ 20,10	50 mm x 25 m	180
RAS220	€ 20,10	50 mm x 25 m	220
RAS320	€ 20,10	50 mm x 25 m	320
RAS400	€ 20,10	50 mm x 25 m	400

RSSX

ANTI-WASTE SPONGE ROLLS

Corundum self-lubricating C weight paper coupled with sponge.



Art.	€	Dimensions	Grit
RSS150	€ 67,20	115 mm x 25 m	150
RSS180	€ 67,20	115 mm x 25 m	180
RSS240	€ 67,20	115 mm x 25 m	240
RSS320	€ 67,20	115 mm x 25 m	320
RSS400	€ 67,20	115 mm x 25 m	400
RSS500	€ 67,20	115 mm x 25 m	500
RSS600	€ 67,20	115 mm x 25 m	600
RSS800	€ 67,20	115 mm x 25 m	800
RSS1000	€ 67,20	115 mm x 25 m	1000

RSRX

VELCRO PAPER ROLLS

Antistatic corundum paper, semi-open coating, E weight. Dry use, suitable for working wood, leather, stucco and metal.




Art.	€	Dimensions	Grit
RSR115/050/040	€ 61,40	115 x 25 m	40
RSR115/050/060	€ 53,10	115 x 25 m	60
RSR115/050/080	€ 49,20	115 x 25 m	80
RSR115/050/120	€ 48,10	115 x 25 m	120

RSAX

LUBRICANT VELCRO PAPER ROLLS

Corundum stearate on light paper (C weight), semi-open coating, dry use




Art.	€	Dimensions	Grit
RSA115/25/080	€ 47,30	115 mm x 25 m	80
RSA115/25/120	€ 47,30	115 mm x 25 m	120
RSA115/25/150	€ 47,30	115 mm x 25 m	150
RSA115/25/180	€ 47,30	115 mm x 25 m	180
RSA115/25/220	€ 47,30	115 mm x 25 m	220
RSA115/25/320	€ 47,30	115 mm x 25 m	320



FTRX

FLEXIBLE CLOTH

Flexible canvas with cotton backing




Art.	€	Dimensions	Grit	Pack
FTR230/040	€ 1,35	230 x 280 mm	40	50
FTR230/060	€ 1,21	230 x 280 mm	60	50
FTR230/080	€ 1,11	230 x 280 mm	80	50
FTR230/120	€ 0,98	230 x 280 mm	120	50
FTR230/180	€ 0,98	230 x 280 mm	180	50
FTR230/220	€ 0,98	230 x 280 mm	220	50
FTR230/320	€ 0,98	230 x 280 mm	320	50
FTR230/400	€ 0,98	230 x 280 mm	400	50
FTR230/600	€ 1,11	230 x 280 mm	600	50

RTFX

RESIN CLOTH ROLLS

Very flexible and resistant. Suitable for working both flat and shaped surfaces.



Art.	€	Dimensions	Grit	Pack
RTF120/005/040	€ 7,20	115 mm x 5 m	40	10
RTF120/005/060	€ 7,20	115 mm x 5 m	60	10
RTF120/005/080	€ 7,20	115 mm x 5 m	80	10
RTF120/005/100	€ 7,20	115 mm x 5 m	100	10
RTF120/005/120	€ 7,20	115 mm x 5 m	120	10
RTF120/050/040	€ 59,00	115 mm x 50 m	40	10
RTF120/050/060	€ 59,00	115 mm x 50 m	60	10
RTF120/050/080	€ 59,00	115 mm x 50 m	80	10
RTF120/050/100	€ 59,00	115 mm x 50 m	100	10
RTF120/050/120	€ 59,00	115 mm x 50 m	120	10

RCLX

LATEX WATERPROOF ROLLS

For wet and dry sanding, usually used in polishing and sanding metal moulds, carbon fiber workpieces, fiber glass, composite materials, and precision instruments.




Art.	€	Dimensions	Grit
RCL115/100/080	€ 117,00	115 mm x 100 m	80
RCL115/100/100	€ 117,00	115 mm x 100 m	100
RCL115/100/120	€ 117,00	115 mm x 100 m	120
RCL115/100/150	€ 117,00	115 mm x 100 m	150
RCL115/100/180	€ 117,00	115 mm x 100 m	180

RCSX

STEARATE ROLLS

Stearate rolls, prevent clogging and static, flexible and high wear resistant, ideal for paint sanding. The addition of zinc stearate prevents clogging.




Art.	€	Dimensions	Grit
RCS115/050/150	€ 64,10	115 mm x 50 m	150
RCS115/050/180	€ 64,10	115 mm x 50 m	180
RCS115/050/240	€ 64,10	115 mm x 50 m	240
RCS115/050/320	€ 64,10	115 mm x 50 m	320
RCS115/050/400	€ 64,10	115 mm x 50 m	400
RCS115/050/600	€ 64,10	115 mm x 50 m	600

FLIX

LATEX WATERPROOF SHEETS

Wet and dry sanding, usually used in polishing and sanding paints, precision instrument, metal, composite materials, automobile production and repair, electron.



SPIXZ

REINFORCED ABRASIVE SPIRABANDS

Created with strips of abrasive cloth, wrapped and glued on a cotton support, ideal for grinding aluminum or steel. To be used with the relative rubber sleeve holders. To reach parts that are difficult to access or to maintain the radii.



SiC Silicon carbide	Finishing	Steel	Aluminum	Plastic	Paints	Composites	Uniform
Water	Dry	Axial grinder	Manual use				

Art.	€	Dimensions	Grit	Pack
FLI230/240	€ 0,60	230 x 280 mm	240	100
FLI230/320	€ 0,60	230 x 280 mm	320	100
FLI230/400	€ 0,60	230 x 280 mm	400	100
FLI230/600	€ 0,60	230 x 280 mm	600	100
FLI230/800	€ 0,60	230 x 280 mm	800	100
FLI230/1000	€ 0,60	230 x 280 mm	1000	100
FLI230/1200	€ 0,60	230 x 280 mm	1200	100

Zr Zirconium	Finishing	Steel	Stainless steel	Aluminum	Uniform	Dry	Axial grinder
------------------------	-----------	-------	-----------------	----------	---------	-----	---------------

Art.	€	Dimensions	Grit	rpm max	Pack
SPI1020/040Z	€ 0,31	10 x 20 mm	40	36000	100
SPI1020/060Z	€ 0,30	10 x 20 mm	60	36000	100
SPI1020/080Z	€ 0,30	10 x 20 mm	80	36000	100
SPI1020/120Z	€ 0,30	10 x 20 mm	120	36000	100
SPI1530/040Z	€ 0,43	15 x 30 mm	40	26000	100
SPI1530/060Z	€ 0,41	15 x 30 mm	60	26000	100
SPI1530/080Z	€ 0,41	15 x 30 mm	80	26000	100
SPI1530/120Z	€ 0,41	15 x 30 mm	120	26000	100
SPI2030/040Z	€ 0,51	20 x 30 mm	40	18000	100
SPI2030/060Z	€ 0,48	20 x 30 mm	60	18000	100
SPI2030/080Z	€ 0,48	20 x 30 mm	80	18000	100
SPI2030/120Z	€ 0,48	20 x 30 mm	120	18000	100
SPI2220/040Z	€ 0,41	22 x 20 mm	40	17000	100
SPI2220/060Z	€ 0,41	22 x 20 mm	60	17000	100
SPI2220/080Z	€ 0,41	22 x 20 mm	80	17000	100
SPI2220/120Z	€ 0,41	22 x 20 mm	120	17000	100
SPI2525/040Z	€ 0,55	25 x 25 mm	40	15000	100
SPI2525/060Z	€ 0,51	25 x 25 mm	60	15000	100
SPI2525/080Z	€ 0,51	25 x 25 mm	80	15000	100
SPI2525/120Z	€ 0,51	25 x 25 mm	120	15000	100
SPI3030/040Z	€ 0,60	30 x 30 mm	40	13000	100
SPI3030/060Z	€ 0,59	30 x 30 mm	60	13000	100
SPI3030/080Z	€ 0,59	30 x 30 mm	80	13000	100
SPI3030/120Z	€ 0,59	30 x 30 mm	120	13000	100
SPI4530/040Z	€ 0,82	45 x 30 mm	40	8500	100
SPI4530/060Z	€ 0,74	45 x 30 mm	60	8500	100
SPI4530/080Z	€ 0,74	45 x 30 mm	80	8500	100
SPI4530/120Z	€ 0,74	45 x 30 mm	120	8500	100



SGCX

RUBBER HOLDERS

Expansion rubber holders, used to fix spirabands.



Axial grinder

Art.	€	Dimensions	Shank	rpm max
SGC1020	€ 6,60	10 x 20 mm	6 mm	36000
SGC1530	€ 6,00	15 x 30 mm	6 mm	26000
SGC2030	€ 8,40	20 x 30 mm	6 mm	18000
SGC2220	€ 6,20	22 x 20 mm	6 mm	17000
SGC2525	€ 8,40	25 x 25 mm	6 mm	15000
SGC3030	€ 8,60	30 x 30 mm	6 mm	13300
SGC4530	€ 10,40	45 x 30 mm	6 mm	8500

CRDXT

CARTRIDGE ROLLS

Small size tools, for grinding operations of points difficult to reach. Can also work at peak. The rolled-up construction gives the tool a longer service life than normal cylindrical spiral bands. Universal use on steel, non-ferrous metals and plastic.



Axial grinder

Art.	€	Dimensions	Grit	Shape	Pack
CRD1038/060T	€ 0,77	10 x 38 mm	60	Conical	50
CRD1038/080T	€ 0,77	10 x 38 mm	80	Conical	50
CRD1038/120T	€ 0,77	10 x 38 mm	120	Conical	50
CRD1238/060T	€ 0,93	12 x 38 mm	60	Conical	50
CRD1238/080T	€ 0,93	12 x 38 mm	80	Conical	50
CRD1238/120T	€ 0,93	12 x 38 mm	120	Conical	50

CRDXC

CARTRIDGE ROLLS

Small size tools, for grinding operations of points difficult to reach. Can also work at peak. The rolled-up construction gives the tool a longer service life than normal cylindrical spiral bands. Universal use on steel, non-ferrous metals and plastic.



Art.	€	Dimensions	Grit	Shape	Pack
CRD0638/060C	€ 0,51	6 x 38 mm	60	Cylindrical	50
CRD0638/080C	€ 0,51	6 x 38 mm	80	Cylindrical	50
CRD0638/120C	€ 0,51	6 x 38 mm	120	Cylindrical	50
CRD1038/040C	€ 0,68	10 x 38 mm	40	Cylindrical	50
CRD1038/060C	€ 0,68	10 x 38 mm	60	Cylindrical	50
CRD1038/080C	€ 0,68	10 x 38 mm	80	Cylindrical	50
CRD1038/120C	€ 0,68	10 x 38 mm	120	Cylindrical	50

PCR6338

€ 8,50

PIN FOR CARTRIDGE ROLLS



Axial grinder

NTXA
ABRASIVE BELTS

NTXZ
ABRASIVE BELTS


Art.	€	Dimensions	Grit	Pack
NT0440/035/040A	€ 1,79	440 x 35 mm	40	10
NT0440/035/060A	€ 1,79	440 x 35 mm	60	10
NT0440/035/080A	€ 1,79	440 x 35 mm	80	10
NT0440/035/120A	€ 1,79	440 x 35 mm	120	10
NT0533/075/040A	€ 3,40	533 x 75 mm	40	10
NT0533/075/060A	€ 3,40	533 x 75 mm	60	10
NT0533/075/080A	€ 3,40	533 x 75 mm	80	10
NT0533/075/120A	€ 3,40	533 x 75 mm	120	10
NT0686/050/040A	€ 5,00	686 x 50 mm	40	10
NT0686/050/060A	€ 5,00	686 x 50 mm	60	10
NT0686/050/080A	€ 5,00	686 x 50 mm	80	10
NT0686/050/100A	€ 5,00	686 x 50 mm	100	10
NT0686/050/120A	€ 5,00	686 x 50 mm	120	10
NT0914/100/040A	€ 7,00	914 x 100 mm	40	10
NT0914/100/060A	€ 7,00	914 x 100 mm	60	10
NT0914/100/080A	€ 7,00	914 x 100 mm	80	10
NT0914/100/100A	€ 7,00	914 x 100 mm	100	10
NT0914/100/120A	€ 7,00	914 x 100 mm	120	10
NT1000/100/040A	€ 7,20	1000 x 100 mm	40	10
NT1000/100/060A	€ 7,20	1000 x 100 mm	60	10
NT1000/100/080A	€ 7,20	1000 x 100 mm	80	10
NT1000/100/120A	€ 7,20	1000 x 100 mm	120	10
NT1075/025/040A	€ 4,39	1075 x 25 mm	40	10
NT1075/025/060A	€ 4,39	1075 x 25 mm	60	10
NT1075/025/080A	€ 4,39	1075 x 25 mm	80	10
NT1075/025/100A	€ 4,39	1075 x 25 mm	100	10
NT1075/025/120A	€ 4,39	1075 x 25 mm	120	10
NT1219/152/040A	€ 7,90	1219 x 152 mm	40	10
NT1219/152/060A	€ 7,90	1219 x 152 mm	60	10
NT1219/152/080A	€ 7,90	1219 x 152 mm	80	10
NT1219/152/100A	€ 7,90	1219 x 152 mm	100	10
NT1219/152/120A	€ 7,90	1219 x 152 mm	120	10
NT1500/120/040A	€ 6,70	1500 x 120 mm	40	10
NT1500/120/060A	€ 6,70	1500 x 120 mm	60	10
NT1500/120/080A	€ 6,70	1500 x 120 mm	80	10
NT1500/120/120A	€ 6,70	1500 x 120 mm	120	10
NT1750/150/040A	€ 9,80	1750 x 150 mm	40	10
NT1750/150/060A	€ 9,80	1750 x 150 mm	60	10
NT1750/150/080A	€ 9,80	1750 x 150 mm	80	10
NT1750/150/120A	€ 9,80	1750 x 150 mm	120	10



Art.	€	Dimensions	Grit	Pack
NT0330/010/040Z	€ 0,76	330 x 10 mm	40	10
NT0330/010/060Z	€ 0,66	330 x 10 mm	60	10
NT0330/010/080Z	€ 0,66	330 x 10 mm	80	10
NT0330/010/120Z	€ 0,66	330 x 10 mm	120	10
NT520/020/040Z	€ 1,02	520 x 20 mm	40	10
NT520/020/060Z	€ 0,87	520 x 20 mm	60	10
NT520/020/080Z	€ 0,77	520 x 20 mm	80	10
NT520/020/120Z	€ 0,68	520 x 20 mm	120	10
NT0610/100/040Z	€ 3,83	610 x 100 mm	40	10
NT0610/100/060Z	€ 3,37	610 x 100 mm	60	10
NT0610/100/080Z	€ 3,19	610 x 100 mm	80	10
NT0610/100/120Z	€ 3,13	610 x 100 mm	120	10
NT0760/040/040Z	€ 2,07	760 x 40 mm	40	10
NT0760/040/060Z	€ 1,79	760 x 40 mm	60	10
NT0760/040/080Z	€ 1,79	760 x 40 mm	80	10
NT0760/040/120Z	€ 1,79	760 x 40 mm	120	10
NT0914/100/040Z	€ 5,00	914 x 100 mm	40	10
NT0914/100/060Z	€ 4,81	914 x 100 mm	60	10
NT0914/100/080Z	€ 4,81	914 x 100 mm	80	10
NT0914/100/120Z	€ 4,81	914 x 100 mm	120	10
NT1000/100/040Z	€ 4,90	1000 x 100 mm	40	10
NT1000/100/060Z	€ 4,15	1000 x 100 mm	60	10
NT1000/100/080Z	€ 4,15	1000 x 100 mm	80	10
NT1000/100/120Z	€ 4,05	1000 x 100 mm	120	10
NT1219/152/040Z	€ 10,40	1219 x 152 mm	40	10
NT1219/152/060Z	€ 8,50	1219 x 152 mm	60	10
NT1219/152/080Z	€ 8,50	1219 x 152 mm	80	10
NT1219/152/120Z	€ 8,50	1219 x 152 mm	120	10
NT1500/120/040Z	€ 8,30	1500 x 120 mm	40	10
NT1500/120/060Z	€ 7,00	1500 x 120 mm	60	10
NT1500/120/080Z	€ 7,00	1500 x 120 mm	80	10
NT1500/120/120Z	€ 7,00	1500 x 120 mm	120	10
NT1750/150/040Z	€ 8,50	1750 x 150 mm	40	10
NT1750/150/060Z	€ 7,70	1750 x 150 mm	60	10
NT1750/150/080Z	€ 7,70	1750 x 150 mm	80	10
NT1750/150/120Z	€ 7,70	1750 x 150 mm	120	10
NT2000/050/040Z	€ 4,72	2000 x 50 mm	40	10
NT2000/050/060Z	€ 3,77	2000 x 50 mm	60	10
NT2000/050/080Z	€ 3,77	2000 x 50 mm	80	10
NT2000/050/120Z	€ 3,77	2000 x 50 mm	120	10
NT2000/150/040Z	€ 15,10	2000 x 150 mm	40	10
NT2000/150/060Z	€ 13,20	2000 x 150 mm	60	10
NT2000/150/080Z	€ 13,20	2000 x 150 mm	80	10
NT2000/150/120Z	€ 13,20	2000 x 150 mm	120	10



SURFACE CONDITIONING

SCDX

SURFACE CONDITIONING FLAP DISCS

Fast and steady finish without clogging, cooler cut. increased lifetime compared to standard surface conditioning discs



Surface Cond.	Glass fiber	T27	Single	EN 13743	Steel	Stainless steel	Cast Iron
Paint stripping	Uniform	0 - 15°	Angle grinder	Made in ITALY			

Art.	€	Dimensions	Grit	rpm max	Pack
SCD115/C	€ 6,50	Ø 115 x 22 mm	Coarse	13300	10
SCD115/M	€ 6,50	Ø 115 x 22 mm	Medium	13300	10
SCD115/VF	€ 6,50	Ø 115 x 22 mm	Very Fine	13300	10
SCD125/C	€ 8,00	Ø 125 x 22 mm	Coarse	12200	10
SCD125/M	€ 8,00	Ø 125 x 22 mm	Medium	12200	10
SCD125/VF	€ 8,00	Ø 125 x 22 mm	Very Fine	12200	10

SPA115/M14

€ 19,90

BACKING PAD

For surface conditioning discs.



M14	Angle grinder

Diameter Ø	115 mm
Thread	M14
rpm max	13300

VSCX

SURFACE CONDITIONING DISCS

Surface preparation for painting, to repair defects with an uniform satin finish. removes oxidation, scratches, varnishes, welding marks.



Surface Cond.	Steel	Stainless steel	Cast Iron	Paint stripping	Uniform	Angle grinder

Art.	€	Diameter Ø	Grit	rpm max	Pack
VSC115/080C	€ 3,80	115 mm	Coarse (80)	5100	10
VSC115/120M	€ 3,80	115 mm	Medium (120)	5100	10
VSC115/240VF	€ 3,80	115 mm	Very Fine (240)	5100	10

MSCX

FAST LOCK SURFACE CONDITIONING

Removes oxidation, scratches, varnishes, welding marks.



Surface Cond.	Nylon	TR male	Steel	Stainless steel	Cast Iron	Paint stripping	Uniform	Axial grinder

Art.	€	Diameter Ø	Grit	rpm max	Pack
MSC050/C	€ 1,96	50 mm	Coarse	25000	10
MSC050/M	€ 1,96	50 mm	Medium	25000	10
MSC050/VF	€ 1,87	50 mm	Very Fine	25000	10
MSC075/C	€ 2,49	75 mm	Coarse	20000	25
MSC075/M	€ 2,49	75 mm	Medium	20000	25
MSC075/VF	€ 2,49	75 mm	Very Fine	20000	25

PARX

NON WOVEN ROLLS

Non-woven synthetic fiber compounds, combined with abrasive grain particles via resin. Resistant to water and lubricants, suitable for satin finishing, sanding, removing paint residues or scratches, used in different sectors: metal, wood, paints, plastics, ceramics



FPA120-

NON WOVEN SHEETS

Non-woven synthetic fiber compounds, combined with abrasive grain particles via resin. Resistant to water and lubricants, suitable for satin finishing, sanding, removing paint residues or scratches, used in different sectors: metal, wood, paints, plastics, ceramics



Art.	€	Dimensions	Grit
PAR115/120AM	€ 41,10	115 mm x 10 m	A.Medium (120)
PAR115/180AF	€ 41,10	115 mm x 10 m	A.Fine (180)
PAR115/320AVF	€ 41,10	115 mm x 10 m	A.Very Fine (320)
PAR115/600AUF	€ 41,10	115 mm x 10 m	A.Ultra Fine (600)



Art.	€	Dimensions	Grit	Pack
FPA120/M	€ 1,68	115 x 280 mm	A.Medium (120)	10
FPA120/F	€ 1,68	115 x 280 mm	A.Fine (180)	10
FPA120/VF	€ 1,68	115 x 280 mm	A.Very Fine (320)	10
FPA120/UF	€ 1,68	115 x 280 mm	S.Ultra Fine (600)	10





CLEAN STRIP

CSCD- ABRASIVE NYLON DISCS



Abrasive nylon
 Glass fiber
 T27
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 Uniform
 Angle grinder
 Made in RIFLEX
 0 - 15°

Art.	€	Dimensions	rpm max	Pack
CSCD/F115	€ 6,20	115 x 22 mm	11000	5
CSCD/F180	€ 9,00	180 x 22 mm	7000	5
CSCD/F115HD	€ 6,80	115 x 22 mm	11000	5

ADF- FASTENING SHAFT



Steel
 Stainless steel
 Cast Iron
 Portable Drill

Art.	€	Dimensions	Type	Pack
ADF/01	€ 1,96	10 x 6 mm	25	10
ADF/02	€ 2,05	12,8 x 8 mm	24	10

CSDS- FLAT DISCS WITH HOLE FOR DRILL

Flat discs with hole for drill



Abrasive nylon
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 Uniform
 Portable Drill

Art.	€	Diameter	rpm max
CSDS/100	€ 4,11	100 mm	8000
CSDS/150	€ 6,70	150 mm	5350
CSDS/200	€ 10,30	200 mm	4000

CSF- ABRASIVE NYLON BLACK CLEANER

Fast lock. suited for rust, varnish and oxidations removal.



Abrasive nylon
 Nylon
 TR male
 Steel
 Stainless steel
 Cast Iron
 Surface Prep.
 Uniform
 Axial grinder

Art.	€	Diameter Ø	rpm max	Pack
CSF/050	€ 2,93	50 mm	12000	10
CSF/075	€ 4,51	75 mm	8000	10



UNCD-

NON WOVEN ABRASIVE DISCS FOR SURFACE FINISHING

Impregnated with resin and compressed.



Art.	€	Dimensions	Grit	rpm max	Pack
UNCD/F115F	€ 14,50	115 x 22 mm	S/C-F	11000	5
UNCD/F115M	€ 14,50	115 x 22 mm	S/C-M	11000	5
UNCD/F115C	€ 14,50	115 x 22 mm	A/O-C	11000	5

UNPX

UNITIZED FLAT DISCS

Suited for corner blending and finishing, to be used with low speed angle grinders. the product must work on the edge, do not exert lateral pressure



Art.	€	Diameter Ø	Thickness	Hole	Grit	rpm max	Pack
UNP115/6/3SF	€ 11,20	115 mm	6 mm	22 mm	3 S.Fine	5000	5
UNP115/6/6SM	€ 13,00	115 mm	6 mm	22 mm	6 S.Medium	5000	5
UNP125/6/3SF	€ 13,00	125 mm	6 mm	22 mm	3 S.Fine	5000	5
UNP125/6/6SM	€ 15,10	125 mm	6 mm	22 mm	6 S.Medium	5000	5

UNFX

UNITIZED DISCS

3am medium hardness, medium grit size blending, removal grinding scratches, light deburring of edges. 6ac hard, coarse grit size. deburring, heavy brushing, removal of deep scratches and oxidations. 6sf very hard, fine grit size. longer life and better resistance but less conformability to work piece.



Art.	€	Diameter Ø	Thickness	Hole	Grit	rpm max	Pack
UNF150/6/3AM	€ 18,50	150 mm	6 mm	25 mm	3 A.Medium	5000	5
UNF150/6/6SF	€ 18,70	150 mm	6 mm	25 mm	6 S.Fine	5000	5
UNF150/6/6AC	€ 22,00	150 mm	6 mm	25 mm	6 A.Coarse	5000	5

MDUX

FAST LOCK UNITIZED

Deburring and finishing of edges and corners, blending, removing of scratches and light oxidations. Superior quality surface finishing.



Art.	€	Diameter Ø	Grit	rpm max
MDU075/2SF	€ 10,40	75 mm	2SF	20000
MDU075/6SF	€ 11,90	75 mm	6SF	20000
MDU075/6AM	€ 14,00	75 mm	6AM	20000



PAS-

GRINDING PASTES

White: fat paste for roughing-up and preliminary work with sisal, tampico, wire brushes. suited for iron, aluminium, zamak stainless steel, silver, brass. Blue: fat medium paste for polishing and second cut on medium smooth surfaces. for steel, zamak, brass. Pink: medium fat paste for buffing and polishing. Suited for second cut on brass, aluminium, zamak, silver, chrome. Green: medium/fat paste, suited to be used with sisal for stainless finishing. Yellow: cutting paste por precious metal. Silver, gold.



Finishing



Art.	€	Color
PAS/W	€ 6,40	White
PAS/B	€ 8,50	Blue
PAS/P	€ 8,20	Pink
PAS/Y	€ 7,20	Yellow
PAS/G	€ 6,90	Green

DLFX

FELT FLAP DISCS

Suited for mirror polishing, to be used with compounds or abrasive pastes. Felt flaps are flexible and prevent overheating.



Felt



Glass fiber



T27



EN 13743



Finishing



Steel



Stainless steel



Aluminum



Cast Iron



0 - 15°



Angle grinder



Made In RIFLEX



Art.	€	Dimensions	rpm max	Pack
DLF115	€ 4,94	Ø 115 x 22 mm	6000	10
DLF125	€ 5,80	Ø 125 x 22 mm	6000	10

S169

€ 9,40

POLISHING KIT

Green and pink: paste for finishing polishes on the main categories of metals. Brown and Black: for performing coarse / medium finish polishes on materials such as brass, aluminum and zinc. White: for carrying out coarse / medium finish polishing on materials such as iron, stainless steel and copper.



5 Pcs



Blister



Steel



Stainless steel



Aluminum



Non-ferr. alloys



Cast Iron



Manual use

MDFX

FAST LOCK FELTRO

Suited for mirror polishing, to be used with compounds or abrasive pastes



Felt



Nylon



TR male



Finishing



Steel



Stainless steel



Aluminum



Cast Iron



Axial grinder



Art.	€	Diameter Ø	rpm max	Pack
MDF050	€ 2,64	50 mm	25000	10
MDF075	€ 3,63	75 mm	20000	10

RGFX

FELT FLAP WHEELS

Suited for mirror polishing, to be used with compounds or abrasive pastes. Felt flaps are flexible and prevent overheating of normal felt wheels.



Felt



Finishing



Steel



Stainless steel



Aluminum



Cast Iron



Axial grinder




Art.	€	Diameter Ø	Thickness	Shank	rpm max	Pack
RGF030/30	€ 4,94	30 mm	30 mm	6 mm	12500	10
RGF040/30	€ 5,50	40 mm	30 mm	6 mm	9500	10
RGF050/30	€ 6,30	50 mm	30 mm	6 mm	7500	10
RGF060/30	€ 6,90	60 mm	30 mm	6 mm	6000	10
RGF080/30	€ 9,30	80 mm	30 mm	6 mm	4500	10

DFFX

FELT DISCS

Suited for polishing . to be used with compound or diamond paste. best peripheral speed 5-10 m/s




Art.	€	Diameter ø	Thickness	Hole
DFF100/13	€ 6,40	100 mm	13 mm	10 mm
DFF150/13	€ 11,40	150 mm	13 mm	15 mm
DFF150/25	€ 20,60	150 mm	25 mm	15 mm
DFF200/13	€ 17,60	200 mm	13 mm	15 mm
DFF200/25	€ 36,00	200 mm	25 mm	15 mm

VDFX

VELCRO FELT DISCS

Suited for polishing. To be used with compound or diamond paste.




Art.	€	Diameter ø	Thickness	rpm max	Pack
VDF075	€ 3,86	75 mm	5 mm	6000	10
VDF115	€ 4,50	115 mm	5 mm	4000	10
VDF125	€ 5,10	125 mm	5 mm	3500	10
VDF150	€ 7,10	150 mm	5 mm	3000	10
VDF180	€ 9,40	180 mm	5 mm	2500	10

MFGX

FELT POINT

Suited for polishing cut off forms. to be used with diamond paste. best peripheral speed 5-10 m/s.



Art.	€	Shape	Diameter ø	Thickness	Shank	Pack
MFG0610/03A	€ 1,28	A	6 mm	10 mm	3 mm	10
MFG0810/03A	€ 1,28	A	8 mm	10 mm	3 mm	10
MFG1014/06A	€ 1,34	A	10 mm	14 mm	6 mm	10
MFG1520/06A	€ 1,43	A	15 mm	20 mm	6 mm	10
MFG0812/03K	€ 1,35	K	8 mm	12 mm	3 mm	10
MFG1018/06K	€ 1,43	K	10 mm	18 mm	6 mm	10
MFG1530/06K	€ 2,45	K	15 mm	30 mm	6 mm	10
MFG1530/06C	€ 2,44	C	15 mm	30 mm	6 mm	10
MFG2025/06C	€ 2,58	C	20 mm	25 mm	6 mm	10
MFG2530/06C	€ 3,86	C	25 mm	30 mm	6 mm	10
MFG2025/06L	€ 2,49	L	20 mm	25 mm	6 mm	10
MFG2530/06L	€ 3,38	L	25 mm	30 mm	6 mm	10




DFC115/M14

€ 18,00

CONICAL FELT DISC

Suited for polishing. to be used with compound or diamond paste.




Diameter ø	115 mm
Thickness	12 mm
Thread	M14
rpm max	12500

RFF100

€ 54,60

VENTILATED FELT WHEEL



Dimensions	110 x 100 mm
Hole diameter	19 mm




DCK100

€ 4,42

VENTILATED COTTON DISCS

Mirror polishing. 10 discs to get a 100 mm wheel



Diameter ø	100 mm
Hole	19,1 mm
Pack	10

DSK100

€ 7,00

SISAL/COTTON DISCS

Suited for inox to eliminate abrasive merks and before polishing operations with felt or cotton. 7 discs to get a 100 mm wheel





Diameter ø	100 mm
Hole	19,1 mm
Pack	10

DCTX

STITCHED COTTON DISCS

Layers of cotton bonded together by concentric stitching. suited for polishing, to be used with pastes.



Art.	€	Diameter ø	Hole
DCT150	€ 4,85	150 mm	12 mm
DCT200	€ 7,70	200 mm	20 mm
DCT250	€ 14,10	250 mm	20 mm

DSCX

SISAL & COTTON DISCS

Suited for stainless steel to eliminate abrasive marks and before polishing operations with felt or cotton. to be used with pastes.





Art.	€	Diameter ø	Hole
DSC150	€ 6,40	150 mm	20 mm
DSC200	€ 12,40	200 mm	20 mm
DSC250	€ 15,80	250 mm	20 mm

DSTX

SISAL STITCHED DISCS

Suited for stainless steel to eliminate abrasive marks and before polishing operations with felt or cotton. to be used with pastes.





Art.	€	Diameter ø	Hole
DST150	€ 6,60	150 mm	20 mm
DST200	€ 13,00	200 mm	20 mm
DST250	€ 18,90	250 mm	20 mm

DCVX

VENTILATED DISCS

Ventilated cotton discs.




Art.	€	Diameter ø	Hole	Layers
DCV150	€ 4,26	150 mm	20 mm	8
DCV200	€ 11,40	200 mm	20 mm	16

DMV150

€ 4,94

VENTILATED DISCS

Ventilated sisal and cotton discs.





Diameter ø	150 mm
Hole	20 mm
Layers	2

DNW100

€ 2,80


WHITE NON WOVEN POLISHING DISCS



Diameter ø	100 mm
Hole	10 mm
Pack	10

FCGX

FLARE BUFFS





Art.	€	Diameter ø	Shank	Pack
FCG50	€ 4,24	50 mm	6 mm	10
FCG75	€ 6,40	75 mm	6 mm	10

DC200

€ 21,60

CORRUGATED DISCS

Made of cotton with cardboard core.



Diameter ø	200 mm
Hole	20 mm
Layers	14

DCGX

SHAFT MOUNTED COTTON BUFFINGS

Suited for polishing. to be used with pastes. best peripheral speed 5-10 m/s



Art.	€	Diameter ø	Thickness	Shank	Pack
DCG050	€ 3,49	50 mm	12 mm	6 mm	10
DCG080	€ 4,41	80 mm	12 mm	6 mm	10
DCG100	€ 5,30	100 mm	12 mm	6 mm	10

CCGX

DOME MOPS

For polishing, for use with abrasive paste. optimal peripheral speed 5-10 m/s.



Art.	€	Diameter ø	Shank	Pack
CCG50	€ 6,30	50 mm	6 mm	5
CCG75	€ 9,80	75 mm	6 mm	5



PNS € 2,14

SHAFT

Shaft for ventilated disc DNW




Axial grinder



PLV175 € 25,60

BACKING PAD FOR LAMBS WOOL DISCS

Backing pad suited for VLA200.



M14

Orbital sander




Diameter ø	175 mm
Thread	M14

VSPX

POLYURETHANE BACKING PADS

High & middle profile soft backing pads for contour polishing. pur molded, soft , good rebounding and durability. ideal for contour face polishing, e.g.car body, fiberglass piece, boat, floor etc. suggested to work with lambswool pads, foam pads and abrasive discs.



M14

Orbital sander




Art.	€	Diameter ø	Thread	rpm max
VSP075	€ 8,90	75 mm	M14	12200
VSP115	€ 9,70	115 mm	M14	10000
VSP125	€ 10,10	125 mm	M14	10000
VSP150	€ 11,60	150 mm	M14	7000
VSP180	€ 12,20	180 mm	M14	5000

VLA200 € 19,00

TWISTED LAMBS WOOL DISC

Polishing of painted surfaces and marble.



Diameter ø	200 mm
------------	--------

VDLX

POLISHING LAMB'S WOOL

Merinos lamb wool. ideal for polishing all painted surfaces with velcro back



Art.	€	Diameter ø
VDL075	€ 5,80	75 mm
VDL115	€ 7,10	115 mm
VDL125	€ 8,00	125 mm
VDL150	€ 9,70	150 mm
VDL180	€ 12,20	180 mm



BSAX

FOAM BLOCK

Thick foam, abrasive on four sides. wood preparation, doors and windows, angles, de-nibbing. dry and wet sanding, can be washed and reused.



Art.	€	Dimensions	Grit	Pack
BSA100/060C	€ 0,90	98 x 69 x 26 mm	Coarse (60)	20
BSA100/100M	€ 0,90	98 x 69 x 26 mm	Medium (100)	20
BSA100/180F	€ 0,90	98 x 69 x 26 mm	Fine (180)	20

FSAX

FOAM PAD

Very flexible, abrasive on both sides. dry and wet sanding, can be washed and reused. furniture industry, auto body repair, wood preparation.



Art.	€	Dimensions	Grit	Pack
FSA120/060C	€ 0,84	120 x 98 x 13 mm	Coarse (60)	20
FSA120/100M	€ 0,84	120 x 98 x 13 mm	Medium (100)	20
FSA120/180F	€ 0,84	120 x 98 x 13 mm	Fine (180)	20

BGAX

ABRASIVE RUBBER BLOCKS

Can be used for various cleaning and manual finishing operations




Art.	€	Dimensions	Grit
BGA8050/036	€ 9,20	80 x 50 x 20 mm	36
BGA8050/060	€ 9,20	80 x 50 x 20 mm	60
BGA8050/120	€ 9,20	80 x 50 x 20 mm	120
BGA8050/240	€ 9,20	80 x 50 x 20 mm	240

SALX

POLISHING SPONGES

Available in different flexibility and porosity, ideal for polishing with polishing pastes. yellow: first polishing, high cut. blue: first polishing fast cut orange: polishing, medium cut white: polishing, medium cut black: final polishing





Art.	€	Diameter ø	Thickness	Color	rpm max
SAL80Y	€ 4,75	80 mm	25 mm	Yellow	8000
SAL80B	€ 3,59	80 mm	25 mm	Blue	8000
SAL80O	€ 3,57	80 mm	25 mm	Orange	8000
SAL80K	€ 3,37	80 mm	25 mm	Black	8000
SAL150Y	€ 13,10	150 mm	50 mm	Yellow	4500
SAL150B	€ 10,20	150 mm	50 mm	Blue	4500
SAL150O	€ 9,90	150 mm	50 mm	Orange	4500
SAL150K	€ 8,20	150 mm	50 mm	Black	4500



SRFX

CIRCULAR BRUSHES

Medium to heavy brush applications: long life, aggressive, very resistant.




Art.	€	Dimensions	Hole	Wire	rpm max
SRF125/25	€ 7,00	Ø 125 x 20 mm	16, 12,7 mm	0,3 mm	6000
SRF150/25	€ 8,50	Ø 150 x 32 mm	25, 22, 20, 16, 12,7 mm	0,3 mm	6000
SRF175/25	€ 9,70	Ø 175 x 32 mm	25, 22, 20, 16 mm	0,3 mm	6000
SRF200/25	€ 12,10	Ø 200 x 32 mm	25, 22, 20, 16 mm	0,3 mm	4500
SRF250/25	€ 23,20	Ø 250 x 32 mm	25, 22, 20, 16 mm	0,3 mm	3000

SRFXI

CIRCULAR BRUSHES

Medium to heavy brush applications: long life, aggressive, very resistant.




Art.	€	Dimensions	Hole	Wire	rpm max
SRF125/25I	€ 12,50	Ø 125 x 20 mm	16, 12,7 mm	0,3 mm	6000
SRF150/25I	€ 15,40	Ø 150 x 32 mm	25, 22, 20, 16, 12,7 mm	0,3 mm	6000
SRF175/25I	€ 18,40	Ø 175 x 32 mm	25, 22, 20, 16 mm	0,3 mm	6000
SRF200/25I	€ 22,50	Ø 200 x 32 mm	25, 22, 20, 16 mm	0,3 mm	4500
SRF250/25I	€ 34,50	Ø 250 x 32 mm	25, 22, 20, 16 mm	0,3 mm	3000

STFX

CUP BRUSHES

Suited for angle grinders. paint and primer removal, roughing, light rust removal.




Art.	€	Diameter ø	Thread	Wire	rpm max
STF060	€ 3,45	60 mm	M14	0,3 mm	12500
STF080	€ 4,09	80 mm	M14	0,3 mm	11000
STF100	€ 6,00	100 mm	M14	0,3 mm	8500
STF120	€ 10,70	120 mm	M14	0,3 mm	6500

STFXI

CUP BRUSHES

Suited for angle grinders. paint and primer removal, roughing, light rust removal.




Art.	€	Diameter ø	Thread	Wire	rpm max
STF060I	€ 6,10	60 mm	M14	0,3 mm	12500
STF080I	€ 7,60	80 mm	M14	0,3 mm	11000
STF100I	€ 10,70	100 mm	M14	0,3 mm	8500
STF120I	€ 15,70	120 mm	M14	0,3 mm	6500

SCFX

BEVEL BRUSHES

Suited for angle grinders.




Art.	€	Thread	Wire	rpm max	Diameter ø
SCF090	€ 4,00	M14	0,3 mm	125000	90 mm
SCF120	€ 5,40	M14	0,3 mm	125000	120 mm
SCF150	€ 10,50	M14	0,3 mm	6500	150 mm

SCFXI

BEVEL BRUSHES

Suited for angle grinders.




Art.	€	Thread	Wire	rpm max	Diameter ø
SCF090I	€ 6,00	M14	0,3 mm	125000	90 mm
SCF120I	€ 8,10	M14	0,3 mm	12500	120 mm
SCF150I	€ 15,70	M14	0,3 mm	6000	150 mm

SRRX

TWISTED KNOTS CIRCULAR BRUSHES

Suited to clean welds and to remove paint, rust, encrustations and burrs. high operating speed.





Art.	€	Diameter ø	Hole	Wire	rpm max
SRR100	€ 6,20	100 mm	22 mm	0,5 mm	12500
SRR150	€ 12,10	150 mm	22 mm	0,5 mm	9000
SRR200	€ 17,30	200 mm	22 mm	0,5 mm	6000

SRRX-M14

TWISTED KNOTS CIRCULAR BRUSHES

Suited to clean welds and to remove paint, rust, encrustations and burrs. high operating speed.





Art.	€	Diameter ø	Thread	Wire	rpm max
SRR100/M14	€ 6,10	100 mm	M14	0,5 mm	12500
SRR115/M14	€ 7,50	115 mm	M14	0,5 mm	12500
SRR125/M14	€ 9,00	125 mm	M14	0,5 mm	11000

STRX

TWISTED KNOTS CUP BRUSHES

Suited to remove carbon, rust, paint and other contaminations




Art.	€	Diameter ø	Thread	Wire	rpm max
STR065	€ 6,80	65 mm	M14	0,5 mm	12500
STR075	€ 7,90	75 mm	M14	0,5 mm	8500
STR080	€ 9,20	80 mm	M14	0,5 mm	8500
STR100	€ 12,10	100 mm	M14	0,5 mm	8500
STR120	€ 15,70	120 mm	M14	0,5 mm	6500

STRXI

TWISTED KNOTS CUP BRUSHES

Suited to remove carbon, rust, paint and other contaminations





Art.	€	Diameter ø	Thread	Wire	rpm max
STR065I	€ 9,80	65 mm	M 14	0,5 mm	12500
STR075I	€ 12,20	75 mm	M 14	0,5 mm	8500
STR080I	€ 16,30	80 mm	M 14	0,5 mm	8500
STR100I	€ 19,10	100 mm	M 14	0,5 mm	8500
STR120I	€ 24,70	120 mm	M 14	0,5 mm	6500

SCRX

TWISTED KNOTS BEVEL BRUSHES

Suited to remove carbon, rust, paint and other contaminations. tapered brush shaped to reach angles.




Art.	€	Diameter ø	Thread	Wire	rpm max
SCR100	€ 6,50	100 mm	M14	0,5 mm	12500
SCR120	€ 9,20	120 mm	M14	0,5 mm	12500

SCRXI

TWISTED KNOTS BEVEL BRUSHES

Suited to remove carbon, rust, paint and other contaminations. tapered brush shaped to reach angles.




Art.	€	Diameter ø	Thread	Wire	rpm max
SCR100I	€ 9,80	100 mm	M14	0,5 mm	12500
SCR120I	€ 13,70	120 mm	M14	0,5 mm	12500



SRGX

CIRCULAR BRUSHES WITH SHAFT

Cleaning of light rust, paint, primer.




Art.	€	Diameter ø	Thickness	Shank	Wire	rpm max
SRG030/05	€ 0,97	30 mm	5 mm	6 mm	0,3 mm	4500
SRG040/05	€ 1,07	40 mm	5 mm	6 mm	0,3 mm	4500
SRG050/06	€ 1,30	50 mm	6 mm	6 mm	0,3 mm	4500
SRG060/06	€ 1,49	60 mm	6 mm	6 mm	0,3 mm	4500
SRG070/08	€ 1,74	70 mm	8 mm	6 mm	0,3 mm	4500
SRG080/08	€ 1,90	80 mm	8 mm	6 mm	0,3 mm	4500
SRG100/10	€ 2,05	100 mm	10 mm	6 mm	0,3 mm	4500
SRG100/15	€ 3,33	100 mm	15 mm	6 mm	0,3 mm	4500

SRGXI

CIRCULAR BRUSHES WITH SHAFT

Cleaning of light rust, paint, primer.




Art.	€	Diameter ø	Thickness	Shank	Wire	rpm max
SRG030/05I	€ 1,60	30 mm	5 mm	6 mm	0,3 mm	4500
SRG040/05I	€ 1,72	40 mm	5 mm	6 mm	0,3 mm	4500
SRG050/06I	€ 2,24	50 mm	6 mm	6 mm	0,3 mm	4500
SRG060/06I	€ 2,34	60 mm	6 mm	6 mm	0,3 mm	4500
SRG070/08I	€ 2,71	70 mm	8 mm	6 mm	0,3 mm	4500
SRG080/08I	€ 3,76	80 mm	8 mm	6 mm	0,3 mm	4500
SRG100/10I	€ 4,09	100 mm	10 mm	6 mm	0,3 mm	4500
SRG100/15I	€ 5,50	100 mm	15 mm	6 mm	0,3 mm	4500

SNGX

NYLON BRUSHES ON SHAFT

More flexible and resistant to breaking than steel wire. On metals it removes oxide and paint residues, scratching less and avoiding rust, on wood it prepares the surface.




Art.	€	Diameter ø	Shank	Grit	Color	rpm max
SNG075/080R	€ 5,80	75 mm	6 mm	80	Red	4500
SNG075/180B	€ 5,80	75 mm	6 mm	180	Blue	4500
SNG100/080R	€ 6,70	100 mm	6 mm	80	Red	4500
SNG100/180B	€ 6,90	100 mm	6 mm	180	Blue	4500

SGR075

€ 3,86

TWISTED KNOTS BRUSH WITH SHAFT

Cleaning, removal of rust and weld seams




Diameter ø	75 mm
Shank	6 mm
Wire	0,5 mm
rpm max	12000

SGR075I

€ 4,86

TWISTED KNOTS BRUSH WITH SHAFT

Cleaning, removal of rust and weld seams




Diameter ø	75 mm
Shank	6 mm
Wire	0,5 mm
rpm max	12000

SCG090

€ 4,09

BEVEL BRUSHES WITH SHAFT

For light and medium rust and varnish removal and deburring



Diameter ø	90 mm
Shank	6 mm
Wire	0,3 mm
rpm max	12500

SCG090I

€ 5,90

BEVEL BRUSHES WITH SHAFT

For light and medium rust and varnish removal and deburring



Stainless steel	Steel	Stainless steel	Aluminum	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Diameter ø	90 mm								
Shank	6 mm								
Wire	0,3 mm								
rpm max	12500								

STGXI

CUP BRUSHES WITH SHAFT

Cup shape, to reach the bottoms and to work frontally




Stainless steel	Steel	Stainless steel	Aluminum	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Art.	€	Diameter ø	Shank	Wire	rpm max				
STG050I	€ 2,45	50 mm	6 mm	0,3 mm	6500				
STG070I	€ 3,12	70 mm	6 mm	0,3 mm	4500				

SFGXI

END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.



Stainless steel	Steel	Stainless steel	Aluminum	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Art.	€	Diameter ø	Shank	Wire	rpm max				
SFG010I	€ 1,78	10 mm	6 mm	0,3 mm	20000				
SFG015I	€ 2,51	15 mm	6 mm	0,3 mm	20000				
SFG020I	€ 3,09	20 mm	6 mm	0,3 mm	20000				
SFG025I	€ 3,33	25 mm	6 mm	0,3 mm	20000				
SFG030I	€ 4,94	30 mm	6 mm	0,3 mm	20000				

STGX

CUP BRUSHES WITH SHAFT

Cup shape, to reach the bottoms and to work frontally




Steel	Steel	Wood	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Art.	€	Diameter ø	Shank	Wire	rpm max			
STG050	€ 1,61	50 mm	6 mm	0,3 mm	6500			
STG070	€ 2,08	70 mm	6 mm	0,3 mm	4500			

SFGX

END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.




Steel	Steel	Wood	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Art.	€	Diameter ø	Shank	Wire	rpm max			
SFG010	€ 1,37	10 mm	6 mm	0,3 mm	20000			
SFG015	€ 1,80	15 mm	6 mm	0,3 mm	20000			
SFG020	€ 2,24	20 mm	6 mm	0,3 mm	20000			
SFG025	€ 2,52	25 mm	6 mm	0,3 mm	20000			
SFG030	€ 3,33	30 mm	6 mm	0,3 mm	20000			

SFPX

TIP END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.




Steel	Steel	Wood	Cast Iron	Deburring	Surface Prep.	Paint stripping	Portable Drill	Axial grinder
Art.	€	Diameter ø	Shank	Wire	rpm max			
SFP012	€ 2,12	12 mm	6 mm	0,3 mm	20000			
SFP024	€ 3,09	24 mm	6 mm	0,3 mm	20000			



SFPXI

TIP END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.




Art.	€	Diameter ø	Shank	Wire	rpm max
SFP012I	€ 1,60	12 mm	6 mm	0.3 mm	20000
SFP024I	€ 3,87	24 mm	6 mm	0.3 mm	20000

SFRX

TWISTED KNOTS END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.




Art.	€	Diameter ø	Shank	Wire	rpm max
SFR019	€ 4,15	19 mm	6 mm	0,5 mm	20000
SFR022	€ 4,57	22 mm	6 mm	0,5 mm	20000

SFRXI

TWISTED KNOTS END BRUSHES

Suited for hard-to-reach spots and frontal cleaning.




Art.	€	Diameter ø	Shank	Wire	rpm max
SFR019I	€ 6,40	19 mm	6 mm	0,5 mm	20000
SFR022I	€ 7,00	22 mm	6 mm	0,5 mm	20000

0331

€ 31,50

WIRE BRUSH SET FOR AUTOMOTIVE AND WORKSHOP

With extension and plastic handle




Sizes	Ø 9 - 11 - 13 - 15 - 17 - 19 mm
Material	Nylon - Steel - Brass

SMC275

€ 1,67

HAND BRUSHES

For hand cleaning operations




Size	275 mm
------	--------

SMC275I

€ 3,36

HAND BRUSHES


For hand cleaning operations



Size	275 mm
------	--------

DISC CONSTRUCTION

An abrasive disc consists of abrasive grains (~75%) bonded together with resins (~25%) and fibre-glass mesh to increase the strength of the product. The minerals used in the production of abrasives are chosen on the basis of their hardness, toughness, heat resistance, composition, and grain shape on which the cutting capacity of that abrasive depends.



The abrasives commonly used in the manufacture of an abrasive disc are as follows:

-Modified zirconium corundum:

it has high toughness and the property of breaking at high temperatures making the grain regenerate creating new sharp "edges". This type of abrasive is obtained by placing zirconium oxide in the electro-fusion. This abrasive is one of the most effective and durable on the market: it has very high toughness and resistance to the heaviest stresses. In addition, thanks to the ability to self-renew its cutting edges, a very high cutting speed is achieved.

- Red Brown Corundum:

it is the most common of the abrasives: it has a medium level of toughness and crumbliness. It is formed by a crystal of aluminium oxide containing a small percentage of iron oxide and titanium oxide which improve its toughness characteristics.




GUIDE TO CHOOSING CUTTING DISC THICKNESS

Disc diameter	Thickness	Type of use
"Ø 75 - 125 mm"	1.0mm	Thickness aimed at speed of processing, comfort of use and quality of cut.
	1.3 - 1.6mm	Thickness aimed at disc life and comfort of use.
	≥ 2mm	Heavy Duty
"Ø150 - 230 mm"	2mm	Thickness aimed at disc life and comfort of use.
	≥ 3mm	Heavy Duty

Our tests are carried out using a 1200W electric tool by cutting a 40 x 15 x 1.5 rectangular section tube in AISI 304 using discs with a diameter of 125 mm and a nominal thickness of 1.0 mm making all possible cuts with the disc up to the end of its life.

Number of cuts






ZTD8X

PROFESSIONAL ZIRCONIA CUTTING DISC

Narrow domed discs, to maximize the flat working area. It allows you to make more cuts, deeper than a depressed center disc and the same duration and cutting capacity of a flat disc with the advantage of greater rigidity given by the depressed center shape and the dome. The extremely thin thickness allows the execution of cuts with minimal formation of burrs.




Art.	€	Dimensions	Specification	Pack
ZTD8115/1.0	€ 2,31	115 x 1,0 x 22 mm	ZA-60-SXBF	25
ZTD8125/1.0	€ 2,52	125 x 1,0 x 22 mm	ZA-60-SXBF	25



MTP8X

PROFESSIONAL CUTTING DISC

For specific uses. Designed for professionals who need a large number of high quality cuts. They boast a helical rib conformation on both sides, which allows for a faster and colder cut. The ultimate evolution of thin cutting discs.




Art.	€	Dimensions	Specification	Pack
MTP8115/1.0	€ 1,64	115 x 1,0 x 22 mm	A60S	25
MTP8115/1.3	€ 1,68	115 x 1,3 x 22 mm	A60S	25
MTP8115/1.6	€ 1,74	115 x 1,6 x 22 mm	A60S	25
MTP8125/1.0	€ 1,75	125 x 1,0 x 22 mm	A60S	25
MTP8125/1.3	€ 1,79	125 x 1,3 x 22 mm	A60S	25
MTP8230/2.0	€ 3,66	230 x 2,0 x 22 mm	A60S	25
MTP8125/1.6	€ 1,94	125 x 1,6 x 22 mm	A60S	25



MTP6X

PERFORMANCE CUTTING DISC

For general use. Designed for artisans and small businesses. Good cut quality.




Art.	€	Dimensions	Specification	Pack
MTP6075/1.5	€ 1,48	75 x 1,5 x 10 mm	A46-S-BF 80	25
MTP6115/1.0	€ 1,30	115 x 1,0 x 22 mm	A46-R-BF 80	25
MTP6115/1.3	€ 1,30	115 x 1,3 x 22 mm	A46-R-BF 80	25
MTP6115/1.6	€ 1,30	115 x 1,6 x 22 mm	A46-R-BF 80	25
MTP6125/1.0	€ 1,39	125 x 1,0 x 22 mm	A46-S5-BF	25
MTP6125/1.3	€ 1,39	125 x 1,3 x 22 mm	A46-S5-BF	25
MTP6125/1.6	€ 1,39	125 x 1,6 x 22 mm	A46-S5-BF	25
MTP6230/2.0	€ 3,42	230 x 2,0 x 22 mm	A30-R-BF 80	25
MTP6350/3.0	€ 10,30	350 x 3,0 x 25.4 mm	A46-S-BF 80	25



MTD6X

PERFORMANCE CUTTING DISC

For general use. Designed for artisans and small businesses. Good cut quality.




Art.	€	Dimensions	Specification	Pack
MTD6115/3.0	€ 1,48	115 x 3,0 x 22 mm	A30-R-BF 80	25
MTD6125/3.2	€ 1,75	125 x 3,2 x 22 mm	A30-S-BF	25
MTD6230/3.0	€ 2,96	230 x 3,0 x 22 mm	A30-R-BF 80	25



MTP4X

STRONG CUT CUTTING DISC

For general use. Designed for hobbyists, artisans and small businesses. Ideal on both steel and stainless steel. Excellent value for money.




Art.	€	Dimensions	Specification	Pack
MTP4075/1.5	€ 0,92	75 x 1.5 x 9.53 mm	A60TBF	100
MTP4115/1.0	€ 0,83	115 x 1.0 x 22 mm	A60TBF	50
MTP4115/1.3	€ 0,83	115 x 1.3 x 22 mm	A60TBF	50
MTP4115/1.6	€ 0,83	115 x 1.6 x 22 mm	A46TBF	50
MTP4125/1.0	€ 0,92	125 x 1.0 x 22 mm	A60TBF	50
MTP4125/1.3	€ 0,92	125 x 1.3 x 22 mm	A60TBF	50
MTP4125/1.6	€ 0,92	125 x 1.6 x 22 mm	A46TBF	50
MTP4230/2.0	€ 2,96	230 x 2.0 x 22 mm	A46TBF	25
MTP4350/3.0	€ 7,90	350 x 3.0 x 22 mm	A30SBF	10



MTD4X

STRONG CUT CUTTING DISC

For general use. Designed for hobbyists, artisans and small businesses. Ideal on both steel and stainless steel. Excellent value for money.



Art.	€	Dimensions	Specification	Pack
MTD4115/3.0	€ 1,11	115 x 3.0 x 22 mm	A30SBF	50
MTD4125/3.0	€ 1,39	125 x 3.0 x 22 mm	A30SBF	50
MTD4180/3.0	€ 2,03	180 x 3.0 x 22 mm	A30SBF	25
MTD4230/3.0	€ 2,68	230 x 3.0 x 22 mm	A30SBF	25






MTP9X

INOX CUTTING DISC

For specific uses. Designed for stainless steel professionals who require a large number of high quality cuts. They boast a helical rib conformation on both sides that allows for a faster and colder cut.




Art.	€	Dimensions	Specification	Pack
MTP9115/1.0	€ 1,77	115 x 1,0 x 22 mm	A60SX	25
MTP9115/1.3	€ 1,88	115 x 1,3 x 22 mm	A60SX	25
MTP9115/1.6	€ 1,96	115 x 1,6 x 22 mm	A60SX	25
MTP9125/1.0	€ 1,94	125 x 1,0 x 22 mm	A60SX	25
MTP9125/1.3	€ 2,11	125 x 1,3 x 22 mm	A60SX	25
MTP9125/1.6	€ 2,16	125 x 1,6 x 22 mm	A60SX	25
MTP9230/2.0	€ 4,52	230 x 2,0 x 22 mm	A60SX	25



MTP7X

PROFESSIONAL CUTTING DISC FOR ALUMINIUM

For specific uses. Designed for aluminum professionals and window fabricators. Ideal on aluminum extrusions, in light alloy foundries and a large number of high quality cuts are required. It boasts a helical rib conformation on both sides that allows for a faster and colder cut, with low clogging.




Art.	€	Dimensions	Specification	Pack
MTP7115/1.3	€ 1,81	115 x 1,3 x 22 mm	A-60-QAL	25
MTP7125/1.3	€ 2,22	125 x 1,3 x 22 mm	A-60-QAL	25



MTD7X

PROFESSIONAL CUTTING DISC FOR ALUMINIUM

For specific uses. Designed for aluminum professionals and window fabricators. Ideal on aluminum extrusions, in light alloy foundries and a large number of high quality cuts are required. Long life and constant performance thanks to the addition of specific anti-clogging additives




Art.	€	Dimensions	Specification	Pack
MTD7230/3.2	€ 4,99	230 x 3,2 x 22 mm	A-30-36-QAL	25



ZSD8X
PROFESSIONAL ZIRCONIA GRINDING DISC


For specific and heavy uses. Designed for professional use. Ideal for fast removal of weld seams, caulking, removal of calamine and pipes (see oil & gas). Has also applications on cast iron, stainless steel forged materials.



Art.	€	Dimensions	Specification	Pack
ZSD8115/7.0	€ 4,16	115 x 7,0 x 22 mm	ZA-60-SXBF	25
ZSD8125/7.0	€ 4,80	125 x 7,0 x 22 mm	ZA-60-SXBF	25
ZSD8230/7.0	€ 13,20	230 x 7,0 x 22 mm	ZA-60-SXBF	25


MSD8X
PROFESSIONAL GRINDING DISC


For specific uses. Designed for professionals who need high removal capacity and fatigue resistance. Ideal on plates with calamine, for removing important beads and burrs.



Art.	€	Dimensions	Specification	Pack
MSD8115/6.5	€ 2,49	115 x 6,5 x 22 mm	A-Q	25
MSD8125/6.5	€ 2,74	125 x 6,5 x 22 mm	A-Q	25
MSD8230/7.0	€ 6,70	230 x 7,0 x 22 mm	A-Q	25


MSD6X
PERFORMANCE GRINDING DISC

For general use. Designed for artisans and small businesses. With good quality on weld seams, plates with calamine and deburring in general.



Art.	€	Dimensions	Specification	Pack
MSD6115/6.0	€ 2,03	115 x 6,0 x 22 mm	A24-R-BF 80	25
MSD6125/6.5	€ 2,41	125 x 6,5 x 22 mm	A30-S-BF	25
MSD6230/6.0	€ 5,70	230 x 6,0 x 22 mm	A24-R-BF 80	25






MSD4X

STRONG CUT GRINDING DISC

For general use. Designed for hobbyists, artisans and small businesses. Ideal on both steel and stainless steel. Excellent value for money.



Art.	€	Dimensions	Specification	Pack
MSD4115/6.0	€ 1,57	115 x 6.0 x 22 mm	A24RBF	25
MSD4125/6.0	€ 1,94	125 x 6.0 x 22 mm	A24RBF	25
MSD4180/6.0	€ 3,97	180 x 6.0 x 22 mm	A24RBF	20
MSD4230/6.0	€ 5,10	230 x 6.0 x 22 mm	A24RBF	15



MSD7X

PROFESSIONAL GRINDING DISC FOR ALUMINIUM

For specific uses. Designed for aluminum professionals and window fabricators. Ideal on aluminum extrusions, in light alloy foundries and a large removal capacity is required. Long life and constant performance thanks to the addition of specific anti-clogging additives



Art.	€	Dimensions	Specification	Pack
MSD7230/7.0	€ 9,20	230 x 7,0 x 22 mm	A-24-30-36-QAL	25



M16X

GRINDING WHEELS

Pink corundum



A10x

Corundum

Art.	€	Dimensions	Specifications
M159	€ 7,70	Ø 100 x 4,5 x 10 mm	GR80
M160	€ 7,70	Ø 100 x 3,2 x 10 mm	GR80
M163	€ 14,10	Ø 145 x 3,2 x 22,3 mm	GR 80
M162	€ 14,10	Ø 145 x 4,7 x 22,3 mm	GR80

MGX

GREY CORUNDUM GRINDING WHEEL

For tough hard steels grinding, equipped with concentric reducers to adapt to all stationary machines.



A10x

Corundum



Roughing



Steel



Stainless steel



Deburring



Fixed grinder

Art.	€	Dimensions	Grit	Max speed	Adapters
MG01/36	€ 7,30	150 x 20 x 32 mm	36	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG01/46	€ 7,30	150 x 20 x 32 mm	46	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG01/60	€ 7,30	150 x 20 x 32 mm	60	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG01/80	€ 7,30	150 x 20 x 32 mm	80	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG02/36	€ 7,80	200 x 20 x 32 mm	36	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG02/46	€ 7,80	200 x 20 x 32 mm	46	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG02/60	€ 7,80	200 x 20 x 32 mm	60	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG02/80	€ 7,80	200 x 20 x 32 mm	80	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG03/36	€ 10,30	200 x 25 x 32 mm	36	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG03/46	€ 10,30	200 x 25 x 32 mm	46	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG03/60	€ 10,30	200 x 25 x 32 mm	60	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG03/80	€ 10,30	200 x 25 x 32 mm	80	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG04/36	€ 15,60	250 x 25 x 32 mm	36	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG04/46	€ 15,60	250 x 25 x 32 mm	46	2650 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG04/60	€ 15,60	250 x 25 x 32 mm	60	2650 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG04/80	€ 15,60	250 x 25 x 32 mm	80	2650 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MG06/80	€ 19,30	200 x 40 x 20 mm	80	3350 rpm 35 m/s	- mm

MVX

SILICON CARBIDE GRINDING WHEEL

For high cutting and finishing, for alloy tool sharpening, equipped with concentric reducers to adapt to all stationary machines.



SiC

Silicon carbide



Aluminum



HM



Fixed grinder

Art.	€	Dimensions	Grit	Max speed	Adapters
MV01/80	€ 12,20	150 x 20 x 32 mm	80	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MV02/80	€ 14,50	200 x 20 x 32 mm	80	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MV03/80	€ 17,70	200 x 25 x 32 mm	80	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MV04/80	€ 27,90	250 x 25 x 32 mm	80	2650 rpm 35 m/s	12,7 - 16 - 20 - 25 mm

MBX

WHITE CORUNDUM GRINDING WHEEL

For steel finishing, equipped with concentric reducers to adapt to all stationary machines.



A10x

Corundum



Finishing



Steel



Stainless steel



HSS



Deburring



Fixed grinder


Art.	€	Dimensions	Grit	Max speed	Adapters
MB01/60	€ 7,70	150 x 20 x 32 mm	60	4500 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MB02/60	€ 8,10	200 x 20 x 32 mm	60	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MB03/60	€ 10,90	200 x 25 x 32 mm	60	3350 rpm 35 m/s	12,7 - 16 - 20 - 25 mm
MB04/60	€ 22,30	250 x 25 x 32 mm	60	2650 rpm 35 m/s	12,7 - 16 - 20 - 25 mm



MCGXA

VITRIFIED MOUNTED POINTS

Cylindrical shape "A" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.




Art.	€	Size	Shank	rpm max	Pack
MCG0306/03A	€ 0,53	Ø 3 x 6 mm	3 mm	50000	25
MCG0408/03A	€ 0,53	Ø 4 x 8 mm	3 mm	50000	25
MCG0510/03A	€ 0,53	Ø 5 x 10 mm	3 mm	50000	25
MCG0610/03A	€ 0,53	Ø 6 x 10 mm	3 mm	47750	25
MCG0610/06A	€ 0,53	Ø 6 x 10 mm	6 mm	47750	25
MCG0810/03A	€ 0,53	Ø 8 x 10 mm	3 mm	38590	25
MCG0810/06A	€ 0,53	Ø 8 x 10 mm	6 mm	38590	25
MCG1010/03A	€ 0,63	Ø 10 x 10 mm	3 mm	28640	25
MCG1010/06A	€ 0,83	Ø 10 x 10 mm	6 mm	28640	25
MCG1020/06A	€ 0,87	Ø 10 x 20 mm	6 mm	28640	25

Art.	€	Size	Shank	rpm max	Pack
MCG1520/06A	€ 0,93	Ø 15 x 20 mm	6 mm	19000	25
MCG1530/06A	€ 1,19	Ø 15 x 30 mm	6 mm	19000	25
MCG2020/06A	€ 1,19	Ø 20 x 20 mm	6 mm	14320	25
MCG2025/06A	€ 1,39	Ø 20 x 25 mm	6 mm	14320	25
MCG2030/06A	€ 1,50	Ø 20 x 30 mm	6 mm	14320	25
MCG2525/06A	€ 1,39	Ø 25 x 25 mm	6 mm	11460	25
MCG3030/06A	€ 1,93	Ø 30 x 30 mm	6 mm	9540	25
MCG4020/06A	€ 2,51	Ø 40 x 20 mm	6 mm	7150	25
MCG4040/06A	€ 3,62	Ø 40 x 40 mm	6 mm	7150	25
MCG5010/06A	€ 2,51	Ø 50 x 10 mm	6 mm	5750	25

MCGXC

VITRIFIED MOUNTED POINTS

Conical shape "C" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.




Art.	€	Size	Shank	rpm max	Pack
MCG1020/06C	€ 1,00	10 x 20 mm	6 mm	28640	25
MCG1520/06C	€ 1,09	15 x 20 mm	6 mm	19000	25
MCG1540/06C	€ 1,81	15 x 40 mm	6 mm	19000	25
MCG2030/06C	€ 1,50	20 x 30 mm	6 mm	14320	25
MCG2540/06C	€ 2,70	25 x 40 mm	6 mm	11460	25
MCG3040/06C	€ 2,44	30 x 40 mm	6 mm	9540	25

MCGXS

VITRIFIED MOUNTED POINTS

Spherical shape "S" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.




Art.	€	Size	Shank	rpm max	Pack
MCG10/06S	€ 1,09	Ø 10 mm	6 mm	28640	25
MCG15/06S	€ 0,98	Ø 15 mm	6 mm	19000	25
MCG20/06S	€ 1,36	Ø 20 mm	6 mm	14320	25
MCG25/06S	€ 1,97	Ø 25 mm	6 mm	11640	25
MCG30/06S	€ 2,13	Ø 30 mm	6 mm	9540	25

MCG2050/06G

€ 2,41

VITRIFIED MOUNTED POINTS

Glove shape "G" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.




Size	Ø 20 x 50 mm
Shank	6 mm
rpm max	14320
Pack	25

MBGXA

RESINOID BAKELITE POINTS

Conical shape "C" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.




Art.	€	Size	Shank
MBG1030/06A	€ 1,50	Ø 10 x 30 mm	6 mm
MBG1530/06A	€ 1,64	Ø 15 x 30 mm	6 mm
MBG2020/06A	€ 1,47	Ø 20 x 20 mm	6 mm
MBG2030/06A	€ 1,69	Ø 20 x 30 mm	6 mm
MBG2040/06A	€ 2,15	Ø 20 x 40 mm	6 mm
MBG2525/06A	€ 1,69	Ø 25 x 25 mm	6 mm
MBG2535/06A	€ 2,02	Ø 25 x 35 mm	6 mm
MBG3010/06A	€ 1,39	Ø 30 x 10 mm	6 mm
MBG3030/06A	€ 1,95	Ø 30 x 30 mm	6 mm
MBG4020/06A	€ 2,47	Ø 40 x 20 mm	6 mm
MBG4035/06A	€ 3,22	Ø 40 x 35 mm	6 mm
MBG5010/06A	€ 2,47	Ø 50 x 10 mm	6 mm

MBGX

RESINOID BAKELITE POINTS

Conical shape "C" suited for grinding and finishing small or hard to reach surfaces: unhardened steels, alloyed steels, cast iron.



Art.	€	Size	Shank
MBG1540/06C	€ 2,56	Ø 15 x 40 mm	6 mm
MBG2040/06C	€ 2,76	Ø 20 x 40 mm	6 mm
MBG2535/06C	€ 2,56	Ø 25 x 35 mm	6 mm

0816

€ 6,40

SHARPENING STONE (SILICON CARBIDE)



SiC

Silicon carbide

Dimensions 200 x 50 x 25h mm

D100

€ 46,20

PEN TYPE DIAMOND DRESSER

Natural type



Diamond

Shank	Ø 10 mm
Length	48 mm
Carats	1

0163

€ 8,30

MOUNTED GRINDING SET



10 Pcs

Shank Ø 3 - 6 mm

0817

€ 6,10

SHARPENING STONE (ALUMINUM OXIDE)



AlOx

Corundum

Dimensions 200 x 50 x 25h mm

D100/S

€ 31,90

PEN TYPE DIAMOND DRESSER

Sintetic type



Diamond

Shank	Ø 10 mm
Length	48 mm
Carats	1



D045-

DIAMOND SAW BLADES CONTINUOUS RIM

General use, for cutting: marble, tiles, ceramics - wet applications.



Art.	€	Diameter	Hole	Diamond height	Cut thickness	rpm max
D045/115	€ 5,00	Ø 115 mm	Ø 22,2 mm	5 mm	2.0	13300
D045/180	€ 14,60	Ø 180 mm	Ø 22,2 mm	5 mm	2.4	8500
D045/230	€ 20,60	Ø 230 mm	Ø 22,2 mm	5 mm	2.8	6600



D070-

PROFESSIONAL DIAMOND SAW BLADES FOR PORCELAIN GRES, TILES, HARD CERAMICS

Specialized for cutting porcelain gres, klinker, travertine, tiles, clay tiles, ceramics, marble - dry and wet applications



Art.	€	Diameter	Hole	Diamond height	Cut thickness	rpm max
D070/115	€ 27,30	Ø 115 mm	Ø 22,2 mm	10 mm	1.3 mm	13300
D070/180	€ 56,40	Ø 180 mm	Ø 22,2 mm	10 mm	1.6 mm	8500
D070/230	€ 79,80	Ø 230 mm	Ø 22,2 mm	10 mm	2.0 mm	6600



PRO

D060-

PROFESSIONAL VENTILATED DIAMOND DISCS

Long life, for cutting concrete, marble, tiles, stone - dry and wet applications



Art.	€	Diameter	Hole	Diamond height	Cut thickness	rpm max
D060/115	€ 13,90	Ø 115 mm	Ø 22,2 mm	10 mm	1.4 mm	13300
D060/180	€ 49,30	Ø 180 mm	Ø 22,2 mm	10 mm	1.8 mm	8500
D060/230	€ 68,90	Ø 230 mm	Ø 22,2 mm	10 mm	2.4 mm	6600



PRO

D059-

VENTILATED DIAMOND SAW BLADES

General use, for cutting: concrete, marble, tiles, stone - dry and wet applications



Art.	€	Diameter	Hole	Diamond height	Cut thickness	rpm max
D059/115	€ 8,10	Ø 115 mm	Ø 22,2 mm	7 mm	2.0 mm	13300
D059/180	€ 20,60	Ø 180 mm	Ø 22,2 mm	7 mm	2.4 mm	8500
D059/230	€ 38,30	Ø 230 mm	Ø 22,2 mm	7 mm	2.8 mm	6600



D055-

PRO

PROFESSIONAL SEGMENTED VENTILATED DIAMOND DISCS

Long life, for cutting concrete, marble, stone - dry application



Art.	€	Diameter	Hole	Diamond height	Segments	Cut thickness	rpm max
D055/115	€ 15,50	Ø 115 mm	Ø 22,2 mm	10 mm	9	1.9 mm	13300
D055/180	€ 45,10	Ø 180 mm	Ø 22,2 mm	10 mm	14	2.2 mm	8500
D055/230	€ 68,90	Ø 230 mm	Ø 22,2 mm	10 mm	18	2.6 mm	6600



D054-

SEGMENTED VENTILATED DIAMOND DISCS

General use, for cutting concrete, marble, stone - dry application



Art.	€	Diameter	Hole	Diamond height	Segments	Cut thickness	rpm max
D054/115	€ 6,30	Ø 115 mm	Ø 22,2 mm	7 mm	9	2.0	13300
D054/180	€ 17,90	Ø 180 mm	Ø 22,2 mm	7 mm	14	2.4	8500
D054/230	€ 26,50	Ø 230 mm	Ø 22,2 mm	7 mm	18	2.8	6600



0350

€ 46,80

SUPER TURBO DIAMOND BLADE




Dimensions	Ø 230 mm
Hole	Ø 22,2 mm
Dry - Wet	



0709

€ 12,80

SUPER TURBO DIAMOND BLADE



Dimensions	Ø 115 mm
Hole	Ø 22,2 mm
Dry - Wet	






0833

€ 62,80

TURBO POLISHING DIAMOND CUP WHEEL FOR GRANITE AND STONE



Dimensions	Ø 100 mm
Hole	Ø 22,2 mm
Dry - Wet	



D040-

DIAMOND CUP WHEEL

General use, for porcelain gres, klinker, travertine, tiles, clay tiles, ceramics, marble - dry and wet applications



Art.	€	Diameter	Hole	Segments	rpm max
D040/115	€ 26,80	Ø 115 mm	Ø 22,2 mm	8 + 8	13300
D040/180	€ 53,80	Ø 180 mm	Ø 22,2 mm	14 + 14	8500

